Regional Needs Assessment

REGION 7: CENTRAL TEXAS

PREVENTION RESOURCE CENTER

WWW.PRCSEVEN.ORG

Table of Contents

Executive Summary	v
Prevention Resource Centers	vi
Conceptual Framework of This Report	vii
Introduction	1
Methodology	2
State Demographics by Region	4
State Socioeconomics by Region	8
Average Wages	8
Employment Rates	12
TANF Recipients	13
Regional Demographics	16
Population	17
Environmental Risk Factors	22
Education	22
Dropout Rates	23
Youth Suspensions/Expulsions	23
Criminal Activity	25
Property Crime	25
i. Court Cases	25
Domestic/Child Abuse	27
Violent Crime and Sexual Assault	28
Drug Seizures/Trafficking	28
Mental Health	29
Suicide	29
Psychiatric Hospital Admissions	30
State Funded Screenings	32
Depression	32
Hospital Discharge Rates	33
Social Factors	34
Teen Births	34
Divorce	35
Social Norms of Substance Consumption	36

Adolescent Sexual Behavior	38
Cultural Factors	40
Misunderstandings about Marijuana	40
Accessibility	41
Perceived Access	41
Alcohol Access	43
Marijuana Access	43
Prescription Drugs Access	43
Illegal Drugs on School Property	44
Perceived Risk of Harm	45
Alcohol	46
Marijuana	46
Prescription Drugs	47
College Students Perception of Harm	47
Regional Consumption	48
Alcohol	48
Age of and Early Initiation	49
Current and Lifetime Use	49
College Student Alcohol Consumption	50
Marijuana	51
Age of and Early Initiation	52
Prescription Drugs	53
Age of Initiation	54
Early Initiation	54
Current and Lifetime Use	54
	55
Additional Data	56
Special Topic: Opiates	57
Emerging Trends	57
Synthetic Cannabinoids	58
Synthetic Cathinoids	59
BHO "Dabbing" and Consumables	60
E-Cigarettes/Vaping	60

	Other Substances	. 61
Co	nsequences	65
	Overview of Consequences	65
	Mortality	65
	Overdose Deaths	65
	Drug and Alcohol Related Fatalities	65
	Legal Consequences	67
	Substance Use Criminal Charges	70
	Hospitalization and Treatment	71
	Hospital Use due to AOD	71
	Adolescent AOD-related ER Admits	71
	Substance Abuse Treatment	71
	Economic Impacts	72
	Underage Drinking/Drug Use	72
	Average Cost of Treatment in Region	72
	Employability and College Admissions	73
En	vironmental Protective Factors	73
	Overview of Protective Factors	73
	Community Domain	73
	Community Coalitions	73
	Treatment/Intervention Providers	74
	Religion and Prevention	77
	School Domain	. 78
	YP Programs	. 78
	Students Receiving AOD Education in School	. 78
	Academic Achievement	. 78
	Family Domain	79
	Parental/Social Support	79
	Parental Attitudes toward Alcohol and Drug Consumption	. 81
	Students Talking to Parents about ATOD	. 81
	Individual Domain	
	Life Skills Learned in YP Programs	. 81
	Mental Health and Family Recovery Services	

Youth Employment	81
Youth Perception of Access	82
Youth Perception of Risk and Harm	82
Trends of Declining Substance Use	82
Region in Focus	83
Gaps in Services	83
Gaps in Data	83
Regional Partners	83
Regional Successes	84
Conclusion	84
Key Findings	84
Moving Forward	85
References	85
Appendix A	85
PRC Region	85
Counties	85
Appendix B	86
Glossary of Terms	87

Executive Summary

The Regional Needs Assessment (RNA) contains information collected by the Prevention Resource Center in Region 7 (PRC 7) with the Brazos Valley Council on Alcohol and Substance Abuse (BVCASA) and the Texas Department of State Health Services (DSHS). The RNA provides stakeholders (i.e., policymakers, health care workers, and interested residents) in the state, PRC and community at large, with a comprehensive view about the trends, outcomes and consequences associated with drug and alcohol use within the region and across the state. The RNA enables stakeholders to engage in long-term strategic prevention planning relative to the needs of the community. This RNA also serves as a template for sharing information with stakeholders in the future. Finally, this RNA will influence the development of a Regional Data Repository (RDR) which will function as part of a state data repository.

In this RNA, members of the PRC 7 sought to provide a descriptive account of Central Texas based on multiple datasets to address the following questions: What do we know from datasets? And what could be perceived as a concern from data? **Most data presented is available at a county level upon request** (contact the PRC to make a request). As datasets were examined, several concerns were made visible by illustrating county level extremes (e.g., the highest percentage in dropout rate), including:

- Perceptions of marijuana as harmful have decreased among college students and adolescents.
- Alcohol and marijuana were the primary substances for which people sought DSHS treatment.
- There were more drug arrests than arrests related to alcohol.
- There are more prescriptions than people (1.3 prescriptions per person).
- Social support association scores for region 7 were greater than the state average score.
- The number of students as polled by the TSS, Texas School Survey, who say none of their friends use marijuana, tobacco, or alcohol has increased greatly in the last few years.
- Percieved access to alcohol (and to a lesser extent marijuana and tobacco) has dropped in the last few years among students polled by the TSS.
- Percieved danger of alcohol, marijuana and prescription drugs among students polled by the TSS has decreased since 2014.
- Current and lifetime use of alcohol and prescription drugs has decreased some, while marijuana has stayed the same.

Determining needs of communities requires both a scientific and thoughtful approach. It would be negligent for the authors to present data describing conditions for communities or the state without also offering insight about contextual values inherent within those communities or the state. For, although communities can be described with numbers and percentages, they also contain residents with a fluid set of collective experiences, lifestyles, histories, traditions, and expectations. While Texas is a cultural, geographical, and social experience of diversity for many residents; the state is also culturally similar across its many community types (i.e., rural, suburban, city, and region). There are ubiquitous hallmarks within Texas many inhabitants see as familiar sentries in the farming and ranching communities of rural west Texas, the suburbs of Dallas/Fort Worth, the inner-city of Houston, or the Rio Grande Valley. While each of these communities is wonderfully unique in composition, most of them are united by a cultural pride, a commercialized branding rooted in folklore; the residents of Texas are part of a rugged and hard-working tapestry. The five point star, Austin stone, and Dairy Queen are but a handful of iconic imagery likely to be experienced by residents in the communities found across the extensive landscape of Texas.

Given the various distinctions between community types, it would be easy to see how trends may present differently amongst the regions of Texas. For example, some stakeholders might assume border regions are plagued more by drug cartels. However, it should be noted that the activity of these cartels plagues many of the more interior regions as well. These regions are integral to the supply and trade routes of these powerful cartels (see Texas DPS Threat Overview, 2013). Some stakeholders might also assume suburban and inner-city community types with more treatment centers for substance abuse have higher drug use rates, based on the likelihood of individuals to remain in a given community after concluding treatment and the high recidivism rate of addiction. Again, these would be assumptions, the nature of which may be verified or refuted through empirical investigation. Hence, a needs assessment would be an appropriate place to start. It is not the aim of this document, however, to imply causality between substance and prevalence rates and the contextual values in community types. Broader implications of meaning or etiology with relation to data are not addressed in this assessment.

The information presented in this assessment has been acquired by a team of regional evaluators through local and state entities, and compared with information from state and national datasets. Secondary information, taken from local surveys, focus groups, and interviews allows for participation by residents in the community, whose expertise lends a local voice to identified issues. It is the intent of the authors for the reader to ascertain standardized measures of substance use-related trends, with an understanding of the explicit contextual values of the communities within Region 7. The information obtained and presented can be used by community, region, and state level stakeholders to better understand the needs and serve residents within Region 7.

Prevention Resource Centers

There are eleven regional Prevention Resource Centers (PRCs) servicing the State of Texas. Each PRC acts as the central data repository and substance abuse prevention training liaison for their region. Data collection efforts carried out by PRC are focused on the state's prevention priorities of alcohol (underage drinking), marijuana, and prescription drug use, as well as other illicit drugs.

Our Purpose

Prevention Resource Centers have four fundamental objectives related to services provided to partner agencies and the community in general: (1) collect data relevant to ATOD use among adolescents and adults and share findings with community partners via the Regional Needs Assessment, presentations, and data reports, (2) ensure sustainability of a Regional Epidemiological Workgroup focused on identifying strategies related to data collection, gaps in data, and prevention needs, (3) coordinate regional prevention trainings and conduct media awareness activities related to risks and consequences of ATOD use, and (4) ensure compliance of tobacco retailers with Texas laws and reducet the sale of tobacco products to minors.

What Evaluators Do

Regional PRC Evaluators are primarily tasked with developing data collection strategies and tools, performing data analysis, and disseminating findings to the community. Data collection strategies are developed around drug use risk and protective factors, consumption data, and related consequences.

Along with the Community Liaison and Tobacco Specialists, the PRC Evaluator engages in building collaborative partnerships with key community members who aid in securing access to information.

How We Help the Community

PRCs provide technical assistance and consultation to providers, community groups and other stakeholders related to data collection activities for the data repository. PRCs also contribute to the increase in stakeholders' knowledge and understanding of the populations they serve, improve programs, and make data-driven decisions. Additionally, the program provides a way to identify community strengths as well as gaps in services and areas for improvement.

Our Regions

Current areas serviced by a Prevention Resource Center are:

Region 1	Panhandle and South Plains
Region 2	Northwest Texas
Region 3	Dallas/Fort Worth Metroplex
Region 4	Upper East Texas
Region 5	Southeast Texas
Region 6	Gulf Coast
Region 7	Central Texas
Region 8	Upper South Texas
Region 9	West Texas
Region 10	Upper Rio Grande
Region 11	Rio Grande Valley/Lower South Texas

Conceptual Framework of This Report

As one reads through this document, two guiding concepts will appear throughout the report: a focus on the youth population, and the use of an empirical approach from a public health framework. For the purpose of strategic prevention planning related to drug and alcohol use among youth populations, this report is based on three main aspects: risk and protective factors, consumption patterns, and consequences of drug use.

Adolescence

According to the National Institute on Drug Abuse (NIDA), there is a higher likelihood for people to begin abusing drugs—including tobacco, alcohol, and illegal and prescription drugs—during adolescence and young adulthood. The teenage years are a critical period of vulnerability to substance use disorders given that the brain is still developing and some brain areas are less mature than others.

The Texas Department of State Health Services posits a traditional definition of adolescence as ages 13-17 (Texas Administrative Code 441, rule 25). However, The World Health Organization (WHO) and American Psychological Association both define adolescence as the



period of age from 10-19. WHO identifies adolescence as the period in human growth and development


that represents one of the critical transitions in the life span and is characterized by a tremendous pace in growth and change that is second only to that of infancy. Behavior patterns that are established during this process, such as drug use or nonuse and sexual risk taking or protection, can have long-lasting positive and negative effects on future health and well-being.

The information presented in this RNA is comprised of regional and state data, which generally define adolescence as ages 10 through 17-19. The data reviewed here has been mined from multiple sources and will therefore consist of varying demographic subsets of age. Some domains of youth data conclude with ages 17, 18 or 19, while others combine "adolescent" and "young adult" to conclude with age 21.

Epidemiology

As established by the Substance Abuse and Mental Health Services Administration (SAMHSA), epidemiology helps prevention professionals identify and analyze community patterns of substance misuse and the various factors that influence behavior. Epidemiology is the theoretical framework for which this document evaluates the impact of drug and alcohol use on the public at large. Meaning 'to study what is of the people', epidemiology frames drug and alcohol use as a public health concern that is both preventable and treatable. According to the World Health Organization, "Epidemiology is the study of the distribution and determinants of health-related states or events (including disease), and the application of this study to the control of diseases and other health problems."

The Substance Abuse Mental Health Services Administration has also adopted the epi-framework for the purpose of surveying and monitoring systems which currently provide indicators regarding the use of drugs and alcohol nationally. Ultimately, the WHO, SAMHSA, and several other organizations are endeavoring to create an ongoing systematic infrastructure (such as a repository) that will enable effective analysis and strategic planning for the nation's disease burden, while identifying demographics at risk and evaluating appropriate policy implementation for prevention and treatment.



Risk and Protective **Factors** For many years, the prevalent belief was rooted in the notion that the physical properties of drugs and alcohol were the primary determinant of addiction; however, the individual's environmental and biological attributions play a distinguished role in the potential for the development of addiction. More than 20 years of research has examined characteristics of effective prevention programs. One component shared by effective programs is a focus on risk and protective factors that influence drug use among adolescents.

Protective factors are characteristics

that decrease an individual's risk for a substance abuse disorder, such as: strong and positive family

bonds, parental monitoring of children's activities and peers, and clear rules of conduct that are consistently enforced within the family. Risk factors increase the likelihood of substance abuse problems, such as: chaotic home environments, history of parental abuse of substances or mental illnesses, poverty levels, and failure in school performance. Risk and protective factors are classified under four main domains: community, school, family, and individual/peers.

Consumption Patterns and Consequences


Consequences and consumption patterns share a complex relationship; they are deeply intertwined and often occur in the context of other factors such as lifestyle, culture, or education level. It is a challenging task to determine if consumption of alcohol and other drugs has led to a consequence, or if a seemingly apparent consequence has resulted due to consumption of a substance. This report examines rates of consumption among adolescents and related consequences in the context of their cyclical relationship; it is not the intention of this report to infer causality between consumption patterns and consequences.

Consumption Patterns Defined

SAMHSA defines Consumption as "the use and high-risk use of alcohol, tobacco, and illicit drugs. Consumption includes patterns of use of alcohol, tobacco, and illicit drugs, including initiation of use, regular or typical use, and high-risk use." Some examples of consumption factors for alcohol include terms of frequency, behaviors, and trends, such as current use (within the previous 30 days), current binge drinking, heavy drinking, age of initial use, drinking and driving, alcohol consumption during pregnancy, and per capita sales. Consumption factors associated with illicit drugs may include route of administration such as intravenous use and needle sharing.

The concept also encompasses standardization of substance unit, duration of use, route of administration, and intensity of use. Understanding the measurement of the substance consumed plays a vital role in consumption rates. With alcohol, for instance, beverages are available in various sizes and by volume of alcohol. Variation occurs between beer, wine and distilled spirits, and, within each of those categories, the percentage of pure alcohol may vary. Consequently, a unit of alcohol must be standardized in order to derive meaningful and accurate relationships between consumption patterns and consequences.

The National Institute on Alcohol Abuse and Alcoholism (NIAAA) defines the "drink" as half an ounce of alcohol, or 12 ounces of beer, a 5 ounce glass of wine, or 1.5 ounce shot of distilled spirits. With regard to



The percent of "pure" alcohol, expressed here as alcohol by volume (alc/vol), varies by beverage.

intake, the NIAAA has also established a rubric for understanding the spectrum of consuming alcoholic beverages. Binge drinking has historically been operationalized as more than five drinks within a conclusive episode of drinking. The NIAAA (2004) defines it further as the drinking behaviors that raise an individual's Blood Alcohol Concentration (BAC) up to or above the level of .08gm%, which is typically 5 or more drinks for men, and 4 or more for women, within a two hour time span. Risky drinking, on the other hand, is predicated by a lower BAC over longer spans of time, while "benders" are considered two or more days of sustained heavy drinking.

Consequences

For the purpose of the RNA, consequences are defined as adverse social, health, and safety problems or outcomes associated with alcohol and other drugs use. Consequences include events such as mortality, morbidity, violence, crime, health problems, academic failure, and other undesired events for which alcohol and/or drugs are clearly and consistently involved. Although a specific substance may not be the single cause of a consequence, measureable evidence must support a link to alcohol and/or drugs as a contributing factor to the consequence.

The World Health Organization estimates alcohol use as the world's third leading risk factor for loss of healthy life, and that the world disease burden attributed to alcohol is greater than that for tobacco and illicit drugs. In addition, stakeholders and policymakers have a vested interest in the monetary costs associated with substance-related consequences. State and regional level data related to consequences of alcohol and other drug use are summarized in later sections of this report.

Stakeholders

Potential readers of this document include stakeholders from a variety of disciplines such as substance use prevention and treatment providers; medical providers; school districts and higher education; substance use prevention community coalitions; city, county, and state leaders; and community members interested in increasing their knowledge of public health factors related to drug consumption. The information presented in this report aims to contribute to program planning, evidence-based decision making, and community education.

The executive summary found at the beginning of this report will provide highlights of the report for those seeking a brief overview. Since readers of this report will come from a variety of professional fields with varying definitions of concepts related to substance abuse prevention, a description of definitions can be found in the section titled "Key Concepts." The core of the report focuses on substance use risk and protective factors, consumption patterns, and consequences.

Introduction

The Department of State Health Services (DSHS), Substance Abuse & Mental Health Services Administration (SAMHSA), funds approximately 188 school and community-based programs statewide to prevent the use and consequences of alcohol, tobacco and other drugs (ATOD) among Texas youth and families. These programs provide evidence-based curricula and effective prevention strategies identified by SAMHSA's Center for Substance Abuse Prevention (CSAP).

The Strategic Prevention Framework provided by CSAP guides many prevention activities in Texas. In 2004, Texas received a state incentive grant from CSAP to implement the Strategic Prevention Framework in close collaboration with local communities in order to tailor services to meet local needs for substance abuse prevention. This prevention framework provides a continuum of services that target the three classifications of prevention activities under the Institute of Medicine (IOM), which are universal, selective, and indicated.

The Department of State Health Services Substance Abuse Services funds Prevention Resource Centers (PRCs) across the state of Texas. These centers are part of a larger network of youth prevention programs providing direct prevention education to youth in schools and the community, as well as community coalitions



that focus on implementing effective environmental strategies. This network of substance abuse prevention services works to improve the welfare of Texans by discouraging and reducing substance use and abuse. Their work provides valuable resources to enhance and improve our state's prevention services aimed to address our state's three prevention priorities to reduce: (1) underage drinking; (2) marijuana use; and (3) non-medical prescription drug abuse. These priorities are outlined in the Texas Behavioral Health Strategic Plan developed in 2012.

Our Audience

Potential readers of this document include stakeholders from a variety of disciplines such as substance use prevention and treatment providers; medical providers; school districts and higher education; substance use prevention community coalitions; city, county, and state leaders; and community members interested in increasing their knowledge of public health factors related to drug consumption. The information presented in this report aims to contribute to program planning, evidence-based decision making, and community education.

Purpose of This Report

This needs assessment is a review of data on substance abuse and related variables across the state that will aid in substance abuse prevention decision making. The report is a product of the partnership between the regional Prevention Resource Centers and the Texas Department of State Health Services. The report seeks to address the substance abuse prevention data needs at the state, county and local levels. The assessment focuses on the state's prevention priorities of alcohol (underage drinking), marijuana, and prescription drugs and other drug use among adolescents in Texas. This report explores drug consumption trends and consequences. Additionally, the report explores related risk and protective factors as identified by the Center for Substance Abuse Prevention (CSAP).

Methodology

This needs assessment was developed to provide relevant substance abuse prevention data related to adolescents throughout the state. Specifically, this regional assessment serves the following purposes:

- To discover patterns of substance use among adolescents and monitor changes in substance use trends over time;
- To identify gaps in data where critical substance abuse information is missing;
- To determine regional differences and disparities throughout the state;
- To identify substance use issues that are unique to specific communities and regions in the state;
- To provide a comprehensive resource tool for local providers to design relevant, data-driven prevention and intervention programs targeted to needs;
- To provide data to local providers to support their grant-writing activities and provide justification for funding requests; and
- To assist policy-makers in program planning and policy decisions regarding substance abuse prevention, intervention, and treatment in the state of Texas.

Process

The state evaluator and the regional evaluators collected primary and secondary data at the county, regional, and state levels between September 1, 2016 and July 30, 2017. The state evaluator met with the regional evaluators at a statewide conference in September 2016 to discuss the expectations of the regional needs assessment for the third year.

Between September 2016 and July 2017, the state evaluator met with regional evaluators via bi-weekly conference calls to discuss the criteria for processing and collecting data. The information was primarily gathered through established secondary sources including federal and state government agencies. In addition, region-specific data collected through local law enforcement, community coalitions, school districts and local-level governments are included to address the unique regional needs of the community. Additionally, qualitative data was collected through primary sources such as surveys and focus groups conducted with stakeholders and participants at the regional level.

Primary and secondary data sources were identified when developing the methodology behind this document. Readers can expect to find information from the American Community Survey, Texas Department of Public Safety, Texas School Survey of Drug and Alcohol Use, and the Community Commons, among others. Also, adults and youth in the region were selected as primary sources.

Quantitative Data Selection

Relevant data elements were determined and reliable data sources were identified through a collaborative process among the team of regional evaluators and with support from resources provided by the Southwest Regional Center for Applied Prevention Technologies (CAPT). The following were criterion for selection:

- For the purpose of this Regional Needs Assessment, the Regional Evaluators and the Statewide Prevention Evaluator chose secondary data sources as the main resource for this document based on the following criteria:
- Relevance: The data source provides an appropriate measure of substance use consumption, consequence, and related risk and protective factors.
- Timeliness: Our attempt is to provide the most recent data available (within the last five years); however, older data might be provided for comparison purposes.
- Methodologically sound: Data that used well-documented methodology with valid and reliable data collection tools.
- Representative: We chose data that most accurately reflects the target population in Texas and across the eleven human services regions.
- Accuracy: Data is an accurate measure of the associated indicator.

Qualitative Data Selection:

Focus Groups

Asking individuals in the community what they see related to alcohol and drug trends or patterns, involved identifying individuals in key roles. For example, law enforcement individuals provide a description of what is encountered while on duty. The same can be said of individuals in roles involving close contact with alcohol and drug related activity (e.g., hospital workers).

Interviews

The use of focus groups was not used in the traditional sense of coordinating and organizing a focus group session by inviting stakeholders to discuss issues in the community. Rather, the approach was to ask questions during organization meetings. By participating and attending meetings throughout the region, we were able to talk with stakeholders expressing concerns for their communities and possessing information about alcohol and drug use in their community.

Surveys

Surveys originating from the Prevention Resource Center (PRC) were not heavily relied on for gaining descriptive information of the region. Rather, state and federal survey information was collected to build a descriptive account of the region. Local surveying and data collection was used to support or inform the construction of our knowledge base.

The Prevention Resource Center 7 works to assess and collect information on the 30 counties within Region 7. The region is aligned to the Texas Department of Health and Human Services Region 7.

Offices for the PRC 7 are located in Bryan Texas and situated in the Brazos Valley Council on Alcohol and Substance Abuse (BVCASA). Region 7 is also know as Central Texas by the Texas Department of State Health Services.

According to DSHS, the urban-rural designation for 17 of the 30 counties was rural. Further county urban-rural labeling can be found in Appendix B. The classification of counties as wet, partially wet, and dry determine the counties legal status related to sales of alcoholic beverages. For example, wet means all sales of alcoholic beverage are legal everywhere in the county while dry means no sales of alcoholic beverages in the county are legal. Partially wet counties can include dry counties that have a couple of wet cities or counties that regulate the sale of alcohol by prohibiting the sale of alcohol on certain days, or by what percentage of alcohol in a drink is sold in grocery stores. As of May 2017, the Texas Alcoholic Beverage Commission (TABC) has recorded the following counties as wet: Bastrop, Brazos, Burleson, Burnet, Fayette, Caldwell, Fayette, Freestone, Lee, Limestone, Madison, San Saba, and Washington. There are no dry counties in Region 7, which means the other 17 counties are considered partially wet.



State Demographics by Region

The state of Texas demographic section will describe statewide conditions for the following categories: Population, Age, Race, Ethnicity, Languages, Concentrations of Populations, and General Socioeconomics, which includes: Average Wages by County, Household Composition, Employment Rates, Industry, TANF Recipients, Food Stamp Recipients, and Free School Lunch Recipients. This section will also highlight some of the regions of the state that may be identified as priority populations in terms of higher needs related to demographic and socio-economic status indicators. A priority population may be defined by demographic factors such as age, gender, race/ethnicity, income level, education attainment or grade level, or health care coverage status; disparities among demographic factors should be identified.

Population

Texas is a state of vast land area and a rapidly growing population. Compared to the U.S. as a whole, Texas' 2015 population estimate of 27,315,362 people ranks it as the second-most populous state, behind

California's 39,144,818, and Texas ranks as the second-fastest growing state with a 2010-2015 growth change of 9.33% well ahead of the national growth rate of 4.10% Below in Table 1 are the regional components of Texas' significant population increases during the 2010-2016 period.

TABLE 1 - REGIONAL POPULATION AND PERCENT CHANGE, 2010-2015

Region	2010 Population	2016 Population Estimate	Growth (+/-)	Percent Change	Percent Female
7	2,948,316	3,251,535	303,219	9.33%	50.11%
Texas	25,146,105	27,315,362	2,169,257	7.94%	50.30%
U.S.	308,758,105	323,127,513	14,369,408	4.45%	50.80%

Age

Texas' population is significantly younger than the United States as a whole. In the categories of teenaged youth (0-19 years of age), Texas stands at 26.23% while the U.S. is 22.80%. The younger population is also revealed in the category of persons 65 years and over, where Texas has fewer in that group (11.83%) than the U.S. at 15.20%.²

TABLE 2 - REGIONAL POPULATION BY AGE CATEGORY

Region		Population <18	Percent	Population 65+	Percent
	7	813,604	25.35%	379,680	11.83%
	Texas	7,165,096	26.23%	3,311,308	12.12%
	U.S.	82,135,602.00	22.80%	46,243,211	15.20%

Race and Ethnicity

Texas is an increasingly diverse state with a strong Hispanic representation. The table below shows the racial and ethic make-up of Texas' population, which is represented by slightly fewer black and other races and significantly higher Hispanic or Latino population.³ The Hispanic population is concentrated in region 11 and region 10, which are the regions with the highest percent of Hispanics.


¹ U.S. Census Bureau, 2016 Population, Population Change, and Components of Change.

² Texas State Data Center, 2016 Population Projections, and U.S. Census Bureau, 2014 Annual Estimates of Population.

³ Texas State Data Center, 2016 Population Projections, and U.S. Census Bureau, 2015 Annual Estimates of Population.

TABLE 3 - REGIONAL POPULATION BY RACE AND ETHNICITY

Region		e Alone, Not Hispanic	Black Alone	Hispanic	Other
	7	54.94%	9.76%	28.79%	6.52%
Texa	as	42.53%	11.43%	39.95%	6.09%
U.S	S.	63.70%	13.30%	17.80%	5.20%



Languages

Texas has a significantly higher number of residents that are foreign born (16.5%) than the U.S. as a whole (13.1%). As a result, there are also significantly higher numbers of the population (ages 5+, 2010-2014) that report a "language other than English is spoken at home," with Texas at 34.9% compared to 20.9% nationally. Another similar indicator is the population with limited English proficiency (LEP). In Texas, it is much higher at 14.22% of the population versus 8.60% for the U.S. Persons are considered to have limited English proficiency they indicated that they spoke a language other than English, and if they spoke English less than "very well," measured as a percentage of the population aged 5 or older.

TABLE 4 - REGIONAL LIMITED ENGLISH PROFICIENCY

Region	Persons 5+ in Household	Numebr 5+ with LEP	Percent 5+ with LEP
1	789,750	69,948	8.86%
2	514,095	26,457	5.15%
3	6,495,307	843,803	12.99%
4	1,048,689	56,541	5.39%
5	719,756	39320	5.46%
6	5,885,315	987,163	16.77%

⁴ U.S. Census Bureau: State and County QuickFacts. 2014 Vintage.

7	2,873,636	264,024	9.19%
8	2,516,577	299,357	11.90%
9	550,027	65,133	11.84%
10	780,139	240,145	30.78%
11	1,977,989	543,369	27.47%
Texas	24,151,279	3,435,260	14.22%
United States	294,133,388	25,305,204	8.60%

Concentrations of Populations

Texas' land area of 268,580.82 square miles places it as the 2nd largest state, behind Alaska's vast 663,267.26 square miles. Texas 96.3 persons per square mile (density) is very close to the national average of 87.3, with New Jersey (1,195.5) and Alaska (1.2) representing the highest and lowest density.⁵

Also, Table 5 below contains the 2010 Census designations of populations by urban and rural status. To qualify as an urban area, the territory identified according to criteria must encompass at least 2,500 people, at least 1,500 of which reside outside institutional group quarters. Areas adjacent to urban areas and cores are also designated as urban when they are non-residential, but contain urban land uses, or when they contain low population, but link outlying densely settled territory with the densely settled core.


"Rural" areas consist of all territory, population, and housing units located outside UAs and UCs. Geographic entities, such as metropolitan areas, counties, minor civil divisions, places, and census tracts, often contain both urban and rural territory, population, and housing units.

TABLE 5 - REGIONAL URBAN AND RURAL POPULATIONS

Region	2010 Population	Urban	Urban Percent	Rural	Rural Percent
1	. 839,586	649,052	77.31%	190,534	22.69%
2	550,250	354,892	64.50%	195,358	35.50%
3	6,733,179	6,100,919	90.61%	632,260	9.39%
4	1,111,696	542,818	48.83%	568 , 878	51.17%
5	767,222	432,088	56.32%	335 , 134	43.68%
6	6,087,133	5,625,713	92.42%	461,420	7.58%
7	2,948,364	2,309,329	78.33%	639,035	21.67%
8	2,604,647	2,143,709	82.30%	460 , 938	17.70%
9	571,871	451,190	78.90%	120,681	21.10%
10	825,913	793,905	96.12%	32,008	3.88%
11	2,105,700	1,894,424	89.97%	211 , 276	10.03%
Texas	25,145,561	. 21,298,039	84.70%	3,847,522	15.30%
United States	312,471,327	252,746,527	80.89%	59,724,800	19.11%

⁵ U.S. Census Bureau: State and County QuickFacts. Last Revised: Thursday, 28-May-2015. (See Appendix A, Table 2.)

¹ Assessment, Prioritization, and Priority Populations. (2016, July 27) Retrieved from Community Health Improvement Resources. Missouri Department of Health and Senior Services. http://health.mo.gov/data/InterventionMICA/AssessmentPrioritization_5.html



State Socioeconomics by Region

Approximating general socioeconomics for the State of Texas has led to describing several components of socioeconomic status. The RNA provides descriptive information for average wages, household composition in relation to single-parent households, employment rates, and industry.

Average Wages

In Texas, the average weekly wage was \$842.10 (including federal). Excluding federal wages, the average weekly wage was 833.40. The employment numbers in Texas were 11,388,114 (including federal) and 11,197,863 (excluding federal). The total wages amounted to \$156,873,914,181 (including federal) and \$153,542,103,331 (excluding federal). In the table below, we see higher employment in Bell and McLennan counties. Higher average weekly wages exist in Travis, Lee, and Leon Counties.

Total (Including Federal)				
County	Employment	Wages	AWW	
Bastrop	15,846	\$149,654,837	\$726.49	
Bell	112,608	\$1,178,088,801	\$804.76	
Blanco	2,965	\$32,299,760	\$838.07	
Bosque	3,814	\$39,657,625	\$799.91	
Brazos	99,371	\$997,572,171	\$772.22	
Burleson	4,253	\$47,235,133	\$854.40	
Burnet	13,508	\$143,485,472	\$817.12	

Caldwell	8,211	\$70,00E,022	\$748.49			
	•	\$79,895,823				
Coryell	14,968	\$123,265,183	\$633.49			
Falls	3,031	\$27,836,754	\$706.54			
Fayette	9,551	\$104,168,979	\$838.94			
Freestone	5,915	\$70,614,150	\$918.32			
Grimes	8,535	\$109,889,603	\$990.36			
Hamilton	2,578	\$22,132,664	\$660.40			
Hays	59,884	\$571,312,900	\$733.87			
Hill	9,634	\$96,497,763	\$770.49			
Lampasas	4,572	\$37,843,917	\$636.76			
Lee	7,269	\$98,523,549	\$1,042.61			
Leon	5,776	\$77,336,746	\$1,029.95			
Limestone	8,563	\$80,231,741	\$720.71			
Llano	4,363	\$38,091,090	\$671.63			
Madison	5,007	\$44,090,116	\$677.36			
McLennan	106,148	\$1,148,710,874	\$832.44			
Milam	5,677	\$66,689,349	\$903.69			
Mills	1,361	\$11,113,103	\$627.95			
Robertson	3,947	\$46,296,292	\$902.34			
San Saba	1,613	\$12,938,080	\$617.01			
Travis	667,437	\$10,152,693,762	\$1,170.11			
Washington	15,392	\$157,642,397	\$787.83			
Williamson	147,604	\$1,843,042,197	\$960.49			
Source. Quarterly Cens	us of Employment and Wag	es. AWW=Average Weekly Wage				

One of the most important factors related to risk for, and protection from, substance abuse is the ability to provide for the necessities of life. One of the indicators that measures this is per capita income, or the mean money income received in the past 12 months computed for every man, woman, and child in a geographic area, according to the Census Bureau. It is derived by dividing the total income of all people 15 years old and over in a geographic area by the total population in that area. In Texas, the per capita income (2015 dollars, 2011-2015 data) is \$26,999. This is significantly lower than the U.S. per capita income measure of \$28,929 and Region 7 in particular \$28,959.

Per Capita Income

Report Area	Total Population	Total Income (\$)	Per Capita Income (\$)	
Bastrop	76,948	\$1,909,217,600	\$24,811	
Bell	326,041	\$7,673,248,000	\$23,534	
Blanco	10,723	\$312,550,900	\$29,147	
Bosque	17,971	\$443,123,100	\$24,657	
Brazos	205,271	\$4,648,898,500	\$22,647	
Burleson	17,293	\$430,490,000	\$24,893	

⁶ US Census Bureau, American Community Survey, 2011-2015. Source geography: Tract

Burnet	44,144	\$1,173,275,700	\$26,578
Caldwell	39,347	\$813,167,600	\$20,666
Coryell	76,128	\$1,504,266,000	\$19,759
Falls	17,410	\$291,429,700	\$16,739
Fayette	24,849	\$707,151,300	\$28,457
Freestone	19,586	\$471,766,200	\$24,086
Grimes	26,961	\$563,238,200	\$20,890
Hamilton	8,266	\$202,667,300	\$24,518
Hays	177,562	\$4,864,931,400	\$27,398
Hill	34,923	\$743,191,600	\$21,280
Lampasas	20,219	\$480,650,000	\$23,772
Lee	16,664	\$416,696,900	\$25,005
Leon	16,819	\$463,117,600	\$27,535
Limestone	23,454	\$479,176,700	\$20,430
Llano	19,323	\$701,022,800	\$36,279
McLennan	241,505	\$5,366,428,800	\$22,220
Madison	13,838	\$219,947,300	\$15,894
Milam	24,344	\$538,726,600	\$22,129
Mills	4,875	\$111,169,800	\$22,804
Robertson	16,532	\$360,077,200	\$21,780
San Saba	5,893	\$116,346,800	\$19,743
Travis	1,121,645	\$39,445,807,900	\$35,167
Washington	34,236	\$857,838,000	\$25,056
Williamson	473,592	\$15,096,448,800	\$31,876
Region 7	3,156,362	\$91,406,068,300	\$28,959
Texas	26,538,614	\$716,519,339,400	\$26,999
United States	316,515,021	\$9,156,731,836,300	\$28,929

Household Composition and Conditions

Another way to gain a basic understanding of stresses to the family unit is the composition of the household. One basic indicator is the number of persons per household. Texas has a greater number of persons per household (2.83, 2010-2014) than the U.S. as a whole (2.63).⁷ The Community Commons report defines an overcrowded unit as one that has more than one occupant per room. Information related to the percent of overcrowded housing is presented below. This indicator is relevant as housing conditions are associated with a wide range of health conditions and increased risk for diseases. Region 11 has the highest percent of population living in an overcrowded unit.

⁷ U.S. Census Bureau, American Community Survey. 2010-14.

TABLE 6 - REGIONAL HOUSING CONDITIONS

Region	Total Households	Total Occupied Housing Units	Overcrowded Housing Units	% of Housing Units Overcrowded
7	752,154	894,120	39,920	4.46
Texas	6,933,496	6,909,687	444,709	6.44
U.S.	73,019,542	90,364,208	3,852,710	4.26

Also children in single-parent households are statistically at greater risk for adverse health outcomes such as mental health problems (including substance abuse, depression, and suicide) and unhealthy behaviors such as smoking and excessive alcohol use. Self-reported health has been shown to be worse among lone parents (male and female) than for parents living as couples, even when controlling for socioeconomic characteristics. Mortality risk is also higher among lone parents. Children in single-parent households are at greater risk of severe morbidity and all-cause mortality then their peers in two-parent households.

TABLE 8 - REGIONAL HOUSEHOLD COMPOSITION

	Percent Single Parent Household					
	2017 2016 2015					
Region 7	30.49%	31.28%	31.53%			
Texas	33.29%	33.39%	33.24%			
U.S.		27.43%	26.84%			

In region 7 more single-parent households with children exist in Grimes (46%), Leon (45%), and Robertson (40%) Counties.

Employment Rates

Texas generally enjoys a substantially more favorable employment climate than most states, as previously evidenced in part by the population growth figures. This indicator is relevant because unemployment creates financial instability and barriers to access including insurance coverage, health services, healthy food, and other necessities that contribute to poor health status. The latest data from the Bureau of Labor Statistics (BLS, April 2016) indicates that Texas currently holds an April 2016 unemployment rate of 4.2%, while the nation as a whole sits at 4.7%. The current rate of 4.2% represents a 0.1% increase from April 2015. The rates by region are indicated below, with Regions 3 and 1 in the metro Austin and Panhandle areas having the least current unemployment. Because the Lemstra et al. (2008) conducted a meta-analysis of marijuana and alcohol use in adolescents (aged 10-15) by socio-economic status (SES). They concluded that "lower SES adolescents have higher rates of marijuana and alcohol risk

⁸ U.S. Bureau of Labor Statistics, Local Area Unemployment Statistics Information and Analysis, April 2016. Rates are seasonally adjusted.

behavior than higher SES adolescents. Observing the implication of what Lemstra et al. (2008) described, poverty measures for Region 7 can help identify at-risk counties.

Employment Rates

In Region 7 the labor force consisted of 1,685,311 individuals. Of the Region 7 labor force, 1,624,989 individuals were employed. The unemployment rate in Region 7 was 3.58%, which was lower than the State (4.61%) and the nation (4.9%). In the figure below counties in red are the five counties with the highest rates in region 7.




TABLE 9 - REGIONAL EMPLOYMENT RATES

	2016		2015		2014		2013	
	2016 Labor	Unemployment	2015 Labor	Unemployment	2014 Labor	Unemployment	2013 Labor	Unemployment
Region	Force	%	Force	%	Force	%	Force	%
7	1,685,311	3.58%	1,634,006	3.66%	1,609,007	4.50%	1,582,878	5.50%
Texas	13,284,651	4.61%	13,044,106	4.45%	13,004,363	5.10%	12,872,236	6.23%
U.S.	159,187,000	4.9	157,130,000	5.3	155,922,000	6.2	155,389,000	7.4


Industry

When compared to the U.S., Texas firms employ roughly the same proportions of workers by industry type. The data in the chart below indicates that Texas has a slightly more "blue collar" workforce, with marginally fewer management and business employees and slightly more mining, construction and similar labor force types. Region 7 (Austin area) and Region 3 (Dallas/Ft. Worth area) pace the state for white collar, high-tech industries.⁹

⁹ Series S2406: Occupation by Class of Worker for the Civilian Employed Population 16 Years and Over. U.S. Census Bureau, American Community Survey. 2010-15.

TABLE 10 - REGIONAL EMPLOYMENT BY INDUSTRY TYPE

	Civilian employed	Management,			Natural resources,	Production, transportation,
	population	business,		Sales and	construction,	and material
Region	16+	science, arts	Service	office	maintenance	moving
7	1,386,140	40.67%	9.56%	8.77%	23.86%	17.14%
Texas	12,094,262	35.11%	10.87%	11.95%	24.40%	17.67%
U.S.	191,756,000	34.92%	15.44%	26.09%	8.80%	14.75%



TANF Recipients


This indicator reports the percentage of reipients per 100,000 populations receiving public assistance income. Public assistance income includes general assistance and Temporary Assistance to Needy Families (TANF). Separate payments received for hospital or other medical care (vendor payments) is excluded. This does not include Supplemental Security Income (SSI) or noncash benefits such as Food Stamps. The percentage of households in Texas who receive public assistance income of this type varies significantly from county to county, but the rates in Regions 11 and 10 are higher than the state rate of 242.27 per 100K population. There is no U.S. calculation available for this measure.

TABLE 11 - REGIONAL TANF RECIPIENTS PER 100K POPULATION

Region		2015 Population	2015 TANF Recipients	Recipients Per 100K Population
	7	3,210,292	4,119	128.31
	Texas	26,947,116	65,286	242.27

¹⁰ Texas Health and Human Services Commission, TANF Recipients by County, December 2015.

In Region 7, there were 1,093,074 total households recorded from the American Community Survey (2013, 5-year average). Of the total households, 19,341 were households with public assistance income. The 5-year average percent of households with public assistance income in Region 7, as a result, is 1.77%. Region 7 has a lower percent of households with public assistance income compared to the State (1.84%) and the nation (2.82%). In the figure below counties in red illustrate percentages above the State average.



SNAP Recipients


Another estimate of instability in providing for basic needs is the estimated percentage of households receiving the Supplemental Nutrition Assistance Program (SNAP) benefits. This indicator is relevant because it assesses vulnerable populations which are more likely to have multiple health access, health status, and social support needs; when combined with poverty data, providers can use this measure to identify gaps in eligibility and enrolment.

TABLE 12 - REGIONAL SNAP RECIPIENTS PER 100K POPULATION

Region	2015 Population	Number Recipients	of SNAP	Recipients Per 100K Population
7	3,199,811		338,074	10,565.44
Texas	26,947,116		3,806,639	14,126.33

In Region 7, there were 1,093,074 total households recorded from the American Community Survey (2013, 5-year average). Of the total households, 112,705 were households receiving Supplemental Nutrition Assistance Program (SNAP) benefits. The 5-year average percent of households receiving SNAP benefits in Region 7, as a result, is 10.31%. Region 7 has a lower percent of households receiving

SNAP benefits compared to the State (13.20%) and the nation (12.40%). In the figure below counties in red illustrate percentages above the State average.



Free and Reduced-Price School Lunch Recipients

The National School Lunch Program is a federally assisted meal program operating in public and nonprofit private schools and residential child care institutions. Children from families with incomes at or below 130 percent of the poverty level are eligible for free meals. Those with incomes between 130 percent and 185 percent of the poverty level are eligible for reduced-price meals, for which students can be charged no more than 40 cents.


Total student counts and counts for students eligible for free and reduced price lunches are acquired for the school year 2013-2014 from the NCES Common Core of Data (CCD) Public School Universe Survey. School-level data is summarized to the county, state, and national levels for reporting purposes. Region 7 between 2012 and 2015 saw a decrease in the percent of students eligible for freee or reduced school lunches by 1.28% while Texas saw a decrease by 1.95%. The counties that saw the biggest increases in the percent of students eligible for free or reduced price school lunches were: San Saba (increase of 7.35%), Limestone (4.18%), and Falls (3.46%). The counties that saw the biggest decreases in the percent of students elligible were: Grimes county (decrease of 5.59%), Leon (3.52%), and Washington (2.89%)

TABLE 7 - REGIONAL SCHOOL LUNCH ASSISTANCE

				Percent	Percent	Percent
				Free and	Free and	Free and
	Total	Total	Total	Reduced	Reduced	Reduced
	Students, All	Students, All	Students, All	Lunch	Lunch	Lunch
	Grades 2014-	Grades	Grades 2012-	Eligible	Eligible	Eligible
	15	2013-14	13	2014-15	2013-14	2012-13
Region 7	559206	548901	539556	51.78%	52.64%	53.06%
Texas	5,233,736	5,153,642	5,077,632	58.30%	59.78%	60.25%


Homeless Students

In the school year 2014-2015 Texas had around 64,498 kids identify as homelss approximately 7,130 of those kids were in Region 7. The counties with the most homeless kids were Travis, Mclennan, Bell, Williamson, and Brazos (see figure below).



Regional Demographics

Most of the population in Region 7 can be found in the following counties: Travis, Williamson, Bell, Brazos, McLennan and Hays. Of the 6 counties mentioned, five are closely positioned to Interstate Highway (IH) 35. Brazos County is the only county mentioned outside the IH 35 route.




The proportion of land to population in Region 7 is presented in the above figure to illustrate that large amounts of land are still available for the growing population in the region. The potential for further housing development is indicated in the figure as the trajectory of the population density is closer to

population rather than land area. This suggests people in the region are living in concentrated areas. In the table below comparisons of Region 7 totals for population, population density and land area are provided. These values indicate Region 7 or Central Texas has plenty of room for future growth and development. In fact, most of the Region 7 land area has considerable potential for economic gain in relation to the Texas Triangle (a megaregion anchored by Houston, Dallas-Fort Worth, Austin, and San Antonio).

Population Density of Region 7 Compared to Texas and U.S.						
Report AreaTotal PopulationPopulation Density*Total Land Ar						
Region 7	3,025,901	118.48	25,540			
Texas	25,639,372	261,162.44	98.17			
United States	311,536,591	3,530,997.60	88.23			
Note. *=per square mile; **=unit in square miles. American Community Survey 2009-2013.						


Population

The population for PRC7 in 2012 was 2,962,195 with a population density of 115.98. While PRC 7 has a total land area (square miles) of 25,540.27, the 2013 estimates for the region reflect a 118.48 population density with a 3,025,901 total population. The Texas 2012 population density was 96.53 while the United States had a population density of 87.55. For 2013, increases in population on land area for Texas rose to a population density of 98.17 and a population density of 88.23 for the United States.



Age


Most of the Texas population is in the age category of 5-17 years of age.





Source. US Census Bureau, American Community Survey: 2008-12.

Race

The total population in relation to race is graphically illustrated in three different pie charts. The first chart displays the total population in Region 7 and how they break into the seven race categories listed. The second chart shows the population percentage difference when the Hispanic population is taken from the total population. Then, the Hispanic population is assessed on how they see themselves in the listed race categories. The last pie chart provides a Non-Hispanic population amount.









Ethnicity

Using the Texas State Data Center projections on population from 2010 to 2050, the next figures provides information on race/ethnicity and gender in Region 7.






Languages

The rising population of English language learners (ELL) is also a concern in Central Texas because language can serve as a barrier to services. In this report, ELL population is tied to limited English proficient individuals. The inability to speak English can relate to barriers in healthcare access, provider communications, and health literacy or education. Results from the American Community Survey (2012) demonstrated that Region 7 had a population of 252,828 (9.21%) individuals whom were age 5 and older with limited English proficiency. Limited English proficiency was determined by individuals age 5 and older who speak a language other than English at home and responded that they speak English less than "very well." The top three counties with the highest percentage of limited English proficient individuals were located in Travis (13.81%; n=132,396), Limestone (11.97%, n=2,613), and Bastrop (9.71%; n=6,710).

Concentrations of Populations

Population density (per square mile) among Region 7 counties vary. The counties with the highest population density include: Travis, Williamson, and Brazos. The figure below displays the population density values across the region.



The percentage of the population in-migration in Region 7, according to the American Community Survey (from 2011 estimates), was 10.37% (295,994 of 2,853,455). The population mobility (geographic) was assessed by changes in residence within a one year period, excluding individuals moving from one household to another in the same county. Only individuals leaving their county residence for another, from outside their state of residence, or from abroad were counted toward in-migration estimates. The three counties with the highest in-migration percentages in Region 7 were Coryell (16.79%, n=12,505), Brazos (15.25%, n=29,157), and Hays (13.56%, n=21,252).

Environmental Risk Factors

Education


Courtesy of CommunityCommons.org – Educational Attainment shows the distribution of educational attainment levels in Region 7. Educational attainment is calculated for persons over 25, and is an average for the period from 2009 to 2013. In the Table below, Falls County has the highest percent of individuals without a high school diploma, followed by Robertson and Burleson counties.

Report Area	Percent No High School Diploma	Percent High School Only	Percent Some College	Percent Associates Degree	Percent Bachelor's Degree	Percent Graduate or Professional Degree
Region 7	13.5	23.6	22.9	7.0	21.6	11.4
Bastrop	19.6	32.2	24.7	7.3	11.3	4.9
Bell	10.5	29.6	28.2	10.1	14.2	7.4
Blanco	13.0	30.6	25.2	4.4	18.7	8.0
Bosque	18.0	34.2	26.5	5.9	10.7	4.8
Brazos	15.0	20.9	20.2	5.2	20.9	17.9
Burleson	22.3	38.0	24.2	3.9	8.2	3.4
Burnet	15.8	31.6	25.4	5.3	15.1	6.9
Caldwell	21.0	37.6	20.1	5.6	11.5	4.2
Coryell	12.5	31.7	30.7	9.9	10.1	5.1
Falls	25.6	38.2	21.4	4.0	7.3	3.5
Fayette	19.9	36.6	21.1	5.7	12.7	4.1
Freestone	21.2	34.5	25.2	7.4	8.6	3.1
Grimes	21.5	37.3	23.5	6.6	7.4	3.7
Hamilton	18.3	34.5	23.7	5.8	13.3	4.5
Hays	10.7	21.4	24.3	6.9	25.8	10.9
Hill	21.3	30.7	25.3	7.9	10.4	4.4
Lampasas	14.0	28.0	29.1	9.1	13.0	6.8
Lee	18.4	37.4	21.8	6.7	10.8	5.0
Leon	17.1	35.6	27.3	5.2	10.3	4.5
Limestone	20.7	37.7	22.4	6.8	9.2	3.2
Llano	13.3	26.7	28.0	6.6	18.2	7.2
McLennan	17.7	28.3	23.0	9.4	14.3	7.5
Madison	21.3	37.9	22.3	6.1	9.3	3.2
Milam	18.8	39.5	21.5	5.8	10.5	3.9
Mills	18.5	30.1	22.5	7.0	15.3	6.7

Robertson	23.7	37.2	20.1	3.2	11.2	4.6
San Saba	19.0	36.0	28.1	3.8	10.2	2.9
Travis	13.0	16.9	19.6	5.6	28.6	16.3
Washington	19.1	29.3	19.8	8.3	17.3	6.2
Williamson	8.01	20.6	25.2	8.2	26.4	11.6
Texas	18.8	25.3	22.7	6.5	17.7	8.9
United States	14.0	28.1	21.3	7.8	18.1	10.8
Source. US Census Bureau, American Community Survey. 2009-13.						

Dropout Rates

Between 2013 and 2015 most counties stayed relatively even in their drop out rates. Mills (17% increase), Bell (2.7%), and Grimes (2.5%) were the counties with the highest increase in dropout rates. The counties with the highest dropout rates in 2015 were Mills (18.40%), Brazos (10.90%), and Bell (9.6%).




Youth Suspensions/Expulsions

Related to youth suspensions, data from the Texas Education Agency (TEA).

County	Student Pop. 2015-16	Discipline Record Count	No. of Alcohol, Tobacco, or Drug Incidents	Percent Discipline Population	Incident Percent Change from 2014-2016
Bastrop	17916	9902	222	15.92%	22.70%
Bell	82260	43169	390	14.53%	-5.42%
Blanco	1791	361	*	9.05%	-19.42%
Bosque	3109	491	*	7.98%	36.39%
Brazos	31606	16041	184	12.13%	20.08%
Burleson	2955	1707	11	19.80%	-24.13%
Burnet	7834	3058	122	12.73%	11.20%
Caldwell	7541	5038	51	14.19%	-3.96%
Coryell	12615	3618	67	11.28%	-14.04%

			_		
Falls	2350	728	5	16.98%	-33.39%
Fayette	4027	1045	*	10.85%	-11.81%
Freestone	4043	652	16	8.41%	17.69%
Grimes	4804	2155	5	14.82%	-25.95%
Hamilton	1480	255	*	8.45%	-21.30%
Hays	37271	9224	207	8.58%	-2.34%
Hill	6943	1773	22	10.83%	-18.52%
Lampasas	3990	912	31	10.08%	-41.65%
Lee	3273	1041	22	11.61%	-1.51%
Leon	3403	493	12	7.55%	-24.50%
Limestone	4338	1407	7	15.03%	-26.64%
Llano	2026	885	22	13.03%	-10.61%
Madison	2894	685	5	8.47%	-23.89%
McLennan	55793	25237	274	13.44%	-14.23%
Milam	4968	1135	36	10.27%	8.30%
Mills	1712	248	*	9.11%	17.54%
Robertson	3604	1459	*	14.54%	85.39%
San Saba	1036	40	*	2.70%	-51.81%
Travis	172565	43315	1537	8.20%	-10.63%
Washington	5704	2341	20	13.60%	-1.39%
Williamson	119257	19040	685	6.14%	-6.25%

Of the TEA discipline rates related to alcohol and drugs, the following counties had the highest percent of drugs/alcohol incidents: Travis (10.86%), Burnet (12.24%), and Williamson (9.35%).



Criminal Activity

Property Crime

The table below displays the amount of offenses and arrests known to law enforcement from 2015, as well as the number of property crime dispositions in 2015. All arrest and offense numbers were acquired from the sheriff's office and all case disposition numbers were acquired from the texas office of court administration's court activity reporting and directory system.

County	Property Crime Offenses	Property Crime Arrests	Dispositions
BASTROP	1579	273	1814
BELL	9312	1474	8506
BLANCO	104	22	50
BOSQUE	105	28	451
BRAZOS	5841	1170	5206
BURLESON	197	87	1532
BURNET	647	154	878
CALDWELL	679	123	1530
CORYELL	1265	371	2824
FALLS	169	29	448
FAYETTE	321	68	558
FREESTONE	200	31	836
GRIMES	463	94	529
HAMILTON	130	39	102
HAYS	3637	1048	4516
HILL	738	136	1745
LAMPASAS	350	70	440
LEE	226	56	689
LEON	255	8	1158
LIMESTONE	595	177	1098
LLANO	244	30	600
MADISON	285	28	102
MCLENNAN	7619	2278	9018
MILAM	524	96	656
MILLS	40	5	380
ROBERTSON	246	74	438
SAN SABA	36	5	29
TRAVIS	41326	4730	43703
WASHINGTON	534	200	1151
WILLIAMSON	6307	1360	9769
Region 7	83974	14264	100756

Court Cases

The data for the table below was gathered though the Texas Office of Court Administration Court Activity Reporting and Directory System.

		Court Ca	ses 2016		
County	Assaults	Murders	Theft, Robbery, &	Sexual	Total
Docture	101	3	Burglary	Assault	Cases
Bastrop	101	_	243	17	1189
Bell	78	4	85	11	11678
Blanco	6	1	7	1	74
Bosque	39	0	81	18	551
Brazos	311	0	873	37	5880
Burleson	57	1	87	8	701
Burnet	136	8	354	13	1763
Caldwell	290	4	426	13	2047
Coryell	198	1	547	16	1669
Falls	43	0	98	9	518
Fayette	63	3	131	11	818
Freestone	36	3	56	13	502
Grimes	73	0	142	6	678
Hamilton	18	5	38	21	298
Hays	654	3	1029	34	5258
Hill	75	2	285	15	1572
Lampasas	55	0	53	6	594
Lee	76	1	98	5	774
Leon	103	0	96	3	807
Limestone	82	0	186	8	824
Llano	46	2	98	6	543
McLennan	650	7	1528	92	7252
Madison	26	2	61	2	560
Milam	114	8	172	15	1088
Mills	8	0	20	4	159
Robertson	57	1	107	11	722
San Saba	2	1	40	1	119
Travis	4424	44	5822	238	43306
Washington	80	4	219	20	1269
Williamson	999	4	1291	90	10513

Domestic/Child Abuse

The value for confirmed victims of child abuse/neglect per 1,000 children was highest in 2015 in San Saba (38.8), Llano (26.1), and Falls (19.9). Looking at the ratio between total CPS completed investigations and confirmed CPS investigations, the counties with the highest percent were Blanco (42.2%), San Saba (37.9%), and Milam (32.0%).

County	Child Population	Confirmed Victims of Child Abuse/Neglect	Confirmed Victims of Child Abuse/Neglect per 1,000 Children	Total CPS Completed Investigations	Confirmed CPS Investigations	Percent Investigations Confirmed
Bastrop	21,379	291	13.6	668	176	26.3%
Bell	98,721	1,046	10.6	3,160	664	21.0%
Blanco	2,278	29	12.7	45	19	42.2%
Bosque	4,089	55	13.5	141	35	24.8%
Brazos	47,729	308	6.5	976	195	20.0%
Burleson	4,140	70	16.9	167	40	24.0%
Burnet	10,299	172	16.7	409	113	27.6%
Caldwell	10,317	122	11.8	335	83	24.8%
Coryell	22,926	259	11.3	681	162	23.8%
Falls	3,876	77	19.9	129	26	20.2%
Fayette	5,417	38	7.0	123	27	22.0%
Freestone	4,646	39	8.4	135	21	15.6%
Grimes	6,105	81	13.3	171	48	28.1%
Hamilton	1,789	14	7.8	59	11	18.6%
Hays	47,624	378	7.9	938	227	24.2%
Hill	8,734	133	15.2	278	85	30.6%
Lampasas	4,923	92	18.7	181	47	26.0%
Lee	4,076	46	11.3	116	28	24.1%
Leon	3,867	48	12.4	119	29	24.4%
Limestone	5,653	81	14.3	193	51	26.4%
Llano	3,144	82	26.1	186	53	28.5%
Madison	3,082	22	7.1	88	15	17.0%
McLennan	61,080	884	14.5	2,055	548	26.7%
Milam	6,366	95	14.9	197	63	32.0%
Mills	1,153	9	7.8	41	7	17.1%
Robertson	4,243	24	5.7	99	17	17.2%
San Saba	1,212	47	38.8	58	22	37.9%
Travis	274,241	2,157	7.9	7,151	1,434	20.1%
Washington	7,696	79	10.3	183	49	26.8%
Williamson	137,516	731	5.3	2,241	457	20.4%
STATEWIDE	7,266,760	66,572	9.2	168,164	40,369	24.0%

Violent Crime and Sexual Assault

The table below displays the amount of offenses and arrests known to law enforcement from 2015 as well as the number of violent crime dispositions in 2015.

County	Violent Crime Offenses	Violent Crime Arrests	Violent & Sexual Crime Dispositions
BASTROP	272	77	1014
BELL	1254	195	9307
BLANCO	9	10	50
BOSQUE	9	10	259
BRAZOS	692	270	2904
BURLESON	37	26	224
BURNET	104	29	490
CALDWELL	89	31	1428
CORYELL	152	75	1445
FALLS	34	19	343
FAYETTE	58	27	461
FREESTONE	24	13	376
GRIMES	90	40	246
HAMILTON	9	37	92
HAYS	460	166	3275
HILL	78	58	986
LAMPASAS	25	7	370
LEE	38	15	553
LEON	17	18	382
LIMESTONE	79	46	521
LLANO	14	26	346
MADISON	40	27	80
MCLENNAN	1034	482	5142
MILAM	53	32	478
MILLS	0	0	310
ROBERTSON	31	23	213
SAN SABA	5	5	52
TRAVIS	4314	1417	34009
WASHINGTON	86	33	459
WILLIAMSON	611	223	6401
Region 7	9718	3437	72216

Drug Seizures/Trafficking


Among the 30 counties in Region 7 the table below is the summation of drug seizures (2014) in Region 7. The counties that had the highest rates of drug seized to general population were Bell, Fayette, McLennan, Travis, Washington, and Williamson are graphed in the figure below (Excluding ounces of marijuana seized in Travis county which was .


Drug	Region 7 2014	Region 7 2015	Region 7 2016
Marijuana(Packaged) (lbs)	85130.8125	4121.5625	21878.625
Hashish(Solid) (lbs)	108.4205264	14.12191744	147.1836468
Opiates (combined) (lbs)	163.2216814	93.00618466	657.2437276
Opiates (combined) (dose units)	9831	2252	2410
Cocaine(Solid) (lbs)	987.644627	215.3063349	853.5438778
Hallucinogens (combined) (lbs)	42.15256775	102.4173369	31.08996051
Hallucinogens (combined) (dose units)	4607	4650	5610
Barbiturates (ounces)	22	17	67
Barbiturates (dose units)	1512	2649	3049
Methamphetamine and Amphetamine (lbs)	985.4618777	2748.685422	1147.376561
Methamphetamine and Amphetamine (dose units)	1416	1532	4327
Tranquilizers (ounces)	2	484	1118
Tranquilizers (dose units)	13199	23864	23212
Synthetic Narcotics (ounces)	71	50	328
Synthetic Narcotics (dose units)	11504	6180	11830

Mental Health

Suicide

The ages that saw the most suicides were adults between 25 and 54 with the highest rates of suicide in adults aged 75 and older. The total number of suicide cases between 1999 and 2014 was 1,583.






Supportive data from the Centers for Disease Control and Prevention, National Vital Statistics System: 2006-10 also reports similar results. For a population of 2,820,031, the average annual deaths from 2006-2010 was 312 in Region 7. Additionally, the age-adjusted (adjusted to 2000 estimates) death rate for suicide (per 100,000 population) for Texas was 12.1 rate. The Healthy People 2020 Target seeks to observe suicide death rates below 10.20. Unfortunately, suicide death rates in Region 7 from 2012-14 do not reflect any indication of dropping to the Healthy People 2020 Target suicide rate goal, especially with increasing suicide numbers reported annually.

Psychiatric Hospital Admissions

Data is showing in Region 7 that there are a total of 13,901 hospital discharges, which have a total cost of \$391,614\$ and had an average rate per 1,000 at 4.38 (TX rate=4.5; U.S. rate = 4.8). Among the 30 counties in Region 7.



Reported Regional Psychiatric Hospital Discharges Rate per 1,000						
Bastrop	4.2	Fayette	2.8	Llano	3.7	
Bell	6.8	Freestone	4.9	McLennan	5.4	
Blanco	2.8	Grimes	5.3	Madison	3.9	
Bosque	4.3	Hamilton	3.2	Milam	3.9	
Brazos	3.3	Hays	2.8	Mills	6.7	
Burleson	5.2	Hill	4.0	Robertson	5.6	

Burnet	3.3	Lampasas	9.8	San Saba	2.1
Caldwell	4.5	Lee	2.2	Travis	4.8
Coryell	4.6	Leon	5.1	Washington	5.3
Falls	3.3	Limestone	4.6	Williamson	3.0
Source. MONARHQ 2012					

Substance abuse related disorder discharge, from MONAHRQ, for Region 7 totaled 177 discharges with a mean cost of \$33, 082 (Discharge per 1,000 rate = 0.06). The top three counties are listed in the table below.

Substance Related Disorder Discharges (Rate per 1,000)						
County	No. of Discharges	Rate of Discharge	Mean Costs			
Travis	78	0.1	\$39,779			
Bell	28	0.1	\$15,334			
Williamson	26	0.1	\$37,400			
Source. MONARHQ 2012						


State Funded Screenings

In Region 7, there were 10175 people screened for substance abuse treatement in 2015 and 9808 in 2016. The primary substances for which treatment was sought were alcohol and amphetamines followed by cannabis.

Preliminary Diagnosis	2015 Number Screened	2016 Number Screened
Alcohol	3468	3265
Amphetamines	1667	1661
Cannabis	1622	1541
Cocaine	788	692
Diagnosis Deferred	77	417
Hallucinogens	12	0
Inhalants	0	0
No Diagnosis	1087	1290
Opioids	1046	805
Other	0	0
PCPs	58	38
Polysubstance Abuse	246	5
Sedatives, Hypnotics, or Anxiolytics	104	94

Depression

In the figures below is data describing depression among older individuals.



Hospital Discharge Rates

While we do not have access to the number of people who go to the hospital for drug and alcohol problems the number of discharges in general can tell us about changes in the population in general as well as how burdened the health care system is in that county.

Hospital County	2013 Total Discharges	2014 Total Discharges	2015 Total Discharges
Bastrop	337	261	245
Bell	48092	37681	51659
Bosque			406
Brazos	26786	26757	28693
Burleson	264	214	214
Burnet	1279	1128	1766
Caldwell	1316	1093	1043

Coryell	581	547	673
Falls			343
Fayette	1747	1877	1947
Freestone	432	417	441
Grimes	402	309	247
Hamilton			1040
Hays	12278	12506	13444
Hill	1605	1466	1237
Lampasas	732	714	668
Limestone	837	736	975
Llano	982	931	647
Madison	345	231	244
McLennan	31347	30855	34576
Milam	437	453	343
Travis	145019	142167	138975
Washington	1815	1212	1693
Williamson	33425	34216	40808

Social Factors

Teen Births

Below is the percent of births by teens by county for region 7 between 2011 and 2014.

County	2011 Total Percent	2012 Total Percent	2013 Total Percent	2014 Total Percent	County	2011 Total Percent	2012 Total Percent	2013 Total Percent	2014 Total Percent
BASTROP	3.7	3.4	2.8	3.9	HILL	4.3	4.8	5.4	2.7
BELL	2.3	2.2	1.9	2.1	LAMPASAS	3.5	2.8	2.8	2.8
BLANCO	1	2.2	1.5	1	LEE	5	1	1.1	2.2
BOSQUE	4.6	1.6	3	1.2	LEON	4.6	4.6	4.1	2.4
BRAZOS	3	2.7	2.5	2.1	LIMESTONE	6.4	2.5	6.2	3.2
BURLESON	1.1	3.5	1.7	2.9	LLANO	2.8	0.6	2.5	4.3
BURNET	3.7	4	4.2	2.6	MCLENNAN	4.3	4.1	3.4	3
CALDWELL	5.6	4.9	3.9	1.9	MADISON	5.6	3.8	3.3	3
CORYELL	1.8	1.6	0.8	1.4	MILAM	7.2	6.1	2.3	2.7
FALLS	4.8	3.5	3.9	3.2	MILLS	-	2.6	4.1	1.7
FAYETTE	4	2.3	2	2.9	ROBERTSON	2.8	7.2	4.3	2.6
FREESTONE	2.5	2.6	4.7	3.4	SAN SABA	2.8	5.3	1.7	2.9
GRIMES	2.8	2.1	2.8	2.7	TRAVIS	3	2.6	2.2	2
HAMILTON	3	4.2	3.7	2.4	WASHINGTON	3.3	3.8	2.8	3.6
HAYS	3.2	2.7	2	2	WILLIAMSON	2.2	1.9	1.5	1

Divorce


Data from the 2014 census bureau put the percent of population 15 years and older who are divorced for Texas at 10.9% percent. The counties with the highest divorce population were Llano (14.9%), Freestone (14.8%), and Hamilton (14%). The counties with the lowest divorce population were Brazos (7.2%), Blanco (9%), and Lee (9.5%).


County	2013	2013	2014	2014
	Marriages	Divorces	Marriages	Divorces
BASTROP	462	254	401	225
BELL	3949	2142	3688	2121
BLANCO	74	43	77	25
BOSQUE	83	58	69	48
BRAZOS	1348	261	1394	326
BURLESON	111	26	106	25
BURNET	260	188	258	186
CALDWELL	173	119	173	102
CORYELL	464	323	474	305
FALLS	75	13	82	12
FAYETTE	142	89	117	67
FREESTONE	139	53	136	60
GRIMES	166	82	143	52
HAMILTON	50	28	37	40
HAYS	995	524	1048	371
HILL	216	129	211	124
LAMPASAS	125	98	118	78
LEE	93	54	85	34
LEON	88	66	115	61
LIMESTONE	161	9	129	12
LLANO	94	66	104	64
MCLENNAN	1644	805	1576	886
MADISON	86	56	133	50
MILAM	139	97	143	82
MILLS	20	16	34	25
ROBERTSON	93	30	98	25
SAN SABA	33	8	40	9
TRAVIS	8220	2752	8618	2792
WASHINGTON	213	106	214	100
WILLIAMSON	2348	938	2682	872


Social Norms of Substance Consumption

Data from the Texas School Survey (TSS, 2016; TSS, 2014; TSS, 2012; TSS, 2010; TSS, 2008) for Region 7 is combined with Region 8. As a result, what follows are numbers from two regions. The data extracted from the TSS is presented below as best matching social norms of substance consumption.


Parental Approval/Consumption


















Adolescent Sexual Behavior

The Youth Risk Behavior Survey (YRBS) collects responses from high school students in Texas. For the year 2013 the following questions were asked:

Youth Risk Behavior Survey questions related to sexual behavior	Coded for
	proceeding
	figure
Sexual Behaviors (SB)	

Ever had sexual intercourse	SB1
Had sexual intercourse before age 13 years (for the first time)	SB ₂
Had sexual intercourse with four or more persons (during their life)	SB ₃
Were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)	SB ₄
Did not use a condom (during last sexual intercourse among students who were currently sexually active)	SB ₅
Did not use birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	SB6
Did not use an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	SB ₇
Did not use a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	SB8
Did not use birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	SB ₉
Did not use both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)	SB10
Did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)	SB11
Drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	SB12
Were never taught in school about AIDS or HIV infection	SB13
Unintentional Injuries and Violence (UIV)	1.11\/-
Were ever physically forced to have sexual intercourse (when they did not want to) Experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	UIV1 UIV2
Experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)	UIV ₃



The teen birth rate per 1,000 population of females aged 15-19 was 43.57 in Region 7. In the region, a total of 4,664 births occurred for mothers between 15 and 19. In comparison, Texas has a teen birth rate (per 1,000 population) of 55, while the national rate is 36.60. The three counties with the highest teen birth rate are Llano (70.40, n=28), Robertson (68.80, n=39), and Limestone (67.50, n=49).

Cultural Factors

Cultural factors influence decisions related to substance use. Many times, substance use is connected to accessibility. While misunderstanding or misbeliefs about a substance can also relate to cultural factors, a greater danger occurs when new habits or patterns for substance use connect themselves to culture.

Misunderstandings about Marijuana

One misunderstanding concerning marijuana use is the difference between medical and recreational marijuana use. Recreational marijuana is commonly known to have more THC, while medical marijuana will have more Cannabidiol (CBD). The high from marijuana comes from THC. Another


misunderstanding, especially among children, is that marijuana is legal in Texas as it is in Colorado or Washington.

Accessibility

The ease of alcohol and drug accessibility for adolescents is a concern because of the potential to promote use at earlier ages. According to the Texas College Survey in 2015 12% of underage respondents have a fake ID and 22% of underage respondents were not carded at liquor stores, bars, or restaurants. However, the predominant method was through a friend who was over 21 with 74% of underage respondents reporting that that is how they acquired alcohol. The following figures based off of the Texas School Survey provide insight into how students perceive their access to substances (TSS, 2016; TSS, 2014; TSS, 2012; TSS, 2010; TSS, 2008).


Perceived Access

Alcohol




Source of Alcohol	Home	Friends	Store	Parties	Other Sources
Region 7 2016	23.9%	21.0%	6.0%	22.9%	12.8%

Tobacco







Prescription Drugs

Data on the accessibility of prescription drugs is limited. Yet, we know there are more prescriptions compared to the population in Region 7. Because prescriptions outnumber individuals in Region 7, there is a real danger in the accessibility of prescription drugs to adolescents. For more information, see Early Initiation of prescription drugs within the Regional Consumption Section.

Alcohol Access

In the figure below, access to alcohol in Region 7 is illustrated by county-level rates. The rates are calculated by the number of alcohol establishments divided by 100,000, as defined by North American Industry Classification System (NAICS) Code 445310. Alcohol establishments in this sample include those saleing beer, wine, and liquor. In the figure below, the three counties with the most access to alcohol based on the number of establishments are Mills, Hamilton, and Bosque counties.

Bastrop Bell Washington 40.0 Blanco **Travis** Bosque 35.0 San Saba **Brazos** 30.0 33.0 25.0 Robertson Burleson 20.0 15.0 Mills Burnet 10.0 Milam Caldwell Madison Coryell McLennan Falls Llano Fayette Limestone Freestone 35.2 Grimes Hamilton Lee Lampasas Hill

ALCOHOL ACCESS BY VENDOR

Marijuana Access


Although medical marijuana is legalized in Texas only for intractable epilepsy and under the care of an authorized doctor after trying two FDA-approved drugs and the cannabi subsequently used must contain less than 10% THC, there are many advocates attesting to beneficial uses outside of epilepsy. However, the short-sightedness of marijuana use is the long-term health concerns. Other states in the US have legalized medical marijuana, while other states have legalized marijuana for recreational use, yet in Texas marijuana use is not allowed. Access to marijuana is mostly influenced from outside sources and will depend on law enforcement or marijuana decriminalization policies in order to reduce and control marijuana access.

Prescription Drugs Access

Access to prescription drugs is a growing trend in Texas and in Region 7. Coalitions have advocated that prescription pills be locked away and secured from potential abuse. Currently, there is one permanent prescription pill disposal box located in the Robertson County Sheriff's Office and one located at the Brazos Sheriff's Office. Several prescription pill round-ups have occurred in the region to reduce access.

Illegal Drugs on School Property


The Youth Risk Behavior Survey (YRBS) 2013 and 2011 illustrates what we know about illegal drugs on school property. For Texas, only high school data is available; other states also include middle school data.



Texas high school students 9-12 were asked during the 12 months before the survey if they were offered, sold, or given an illegal drug on school property. As illustrated in the figure, there is a decline of student 9-12 responses from 2011 (29.4%, n = 4130) to 2013 (26.4, n = 3120), and the student sample includes all races and ethnicities. The additional upper and lower values are confidence limits also derived from the YRBS and serve as a range of possible values.

Across all races and ethnicities, when combining all high school grade levels together, from 2011 to 2013 YRBS responses for the offer, selling, giving of illegal drugs on school property has declined. However, the gap of decline is small among Hispanics and African Americans in the Female & Male 2011-2013 section of the figure. Furthermore, among African Americans, females had an increase related to illegal drugs on school property from 2011 to 2013 compared to male African Americans. Among Hispanics, the gap is smaller among Hispanic males compared to Hispanic


females. For instance, see the next figure with race and ethnic comparisons.




Perceived Risk of Harm

Results from the Texas School Survey for Alcohol and Drugs 2008-2014 identifies the level of danger students (i.e., grades 6-12) associate with use of alcohol, marijuana, and prescription drugs. Region 7 and 8 results were combined according to the Public Policy Research Institute to improve sampling outcomes.


Alcohol












College Students Perception of Harm

The 2015 Texas Survey of Substance Use among College Students or the Texas College Survey reported that for most drugs 80% of college students surveyed considered them to be dangerous with the exception of Marijuana and DXM. For Marijuana 41% of respondents considered it to be somewhat or very dangerous down 4% from 2013.



Percent of students who believed a drug was dangerous

Regional Consumption

Alcohol


According to the Texas Drug Facts among Youth 2012, alcohol continues to be the most commonly used substance among secondary school students. Additionally, Maxwell (2013) has found this to be apparent from Texas School Survey (TSS) data. Students in grades 7-12, over time, illustrate a gradual decrease in alcohol use and binge drinking (see Table on next page). For younger students (grades 4-6), observations from the Texas School Survey data indicate a decrease of overall alcohol use from 2010 to 2012. For example, lifetime alcohol use for students in grades 4-6 decreased from 21.5 percent (2010) to 17.7 percent (2012). Further highlights from TSS data demonstrate that past-school-year alcohol use also followed this downward trend from 13.7 percent to 11.2 percent.

Age of and Early Initiation

Region(s) and Year	Age of Initiation	Early Initiation (<13)
Regions 7&8 2014	12.6	44.0%
State 2012	12.6	45.4%
State 2010	12.4	49.2%
State 2008	12.3	50.5%

Current and Lifetime Use

Region(s) and Year	State 2008	State 2010	State 2012	Regions 7&8 2014	Region 7 2016
Current Use, All Grades	30.4%	29.0%	25.1%	18.6%	25.7%
Lifetime Use, All Grades	62.9%	61.8%	57.5%	45.7%	51.1%
High-Risk Use*, All Grades	20.6%	20.3%	17.8%	11.3%	9.8%
Current Use, Grade 7	16.9%	15.0%	11.5%	10.4%	10.1%
Lifetime Use, Grade 7	44.9%	42.1%	36.2%	27.8%	31.5%
High-Risk Use*, Grade 7	8.7%	8.7%	6.7%	5.2%	2.6%
Current Use, Grade 12	45.2%	43.4%	40.3%	33.6%	44.6%
Lifetime Use, Grade 12	76.0%	75.0%	72.7%	61.5%	70.3%
High-Risk Use*, Grade 12	34.0%	33.3%	31.2%	21.0%	20.9%



College Student Alcohol Consumption

According to the Texas College Survey for 2015 around 82% of respondents have had alcohol in their lifetime, 76% have used alcohol in the past year and 61% in the past month, 16% of respondents abstain completely from alcohol, 41% of male respondents reported binge drinking in the past month while only 35% of female respondents did. The majority of students who reported drug use indicated that they continue to do drugs while 50% reported decreasing or stopping their use since starting college (down 13% from 2013) and 25% of students reported increasing their usage since starting college (up 5% from 2013).


Drug Usage by Texas College Students						
DrugLifetime UsePast Year UsePast Month Use						
Alcohol	81.9%	75.8%	60.9%			
Tobacco	55.0%	43.1%	25.7%			
Inhalents	3.9%	1.3%	0.4%			

DXM	7.3%	4.0%	1.8%
Marijuana	42.8%	29.8%	17.6%
Synthetic Marijuana	9.0%	1.1%	0.2%
Cocaine	8.8%	4.9%	2.1%
Stimulants	6.5%	3.9%	2.2%
Sedatives	12.1%	7.4%	3.0%
Hallucinogens	10.8%	5.7%	1.6%
Heroin	1.2%	0.3%	0.1%
Other Narcotics	11.2%	6.6%	2.1%
Steroids	1.0%	0.5%	0.2%
Bath Salts	1.1%	0.3%	0.1%
MDMA	9.5%	4.1%	1.1%

Marijuana

The most frequent age of initiation for marijuana use is 14 years old according to the Texas School Survey of Drug and Alcohol Use (2012). Early initiation of marijuana use among 7-12 graders was 6% (94,898). Also, 26.2 percent of students in grades 7-12 reported on the Texas School Survey (TSS 2012) that they had used marijuana at some point during their lives. The same result was found for students in 2010. Downward trends continue when observing student in grades 4-6. For example, lifetime marijuana use from 2010 to 2012 decreased from 1.9 percent to 1.7 percent with past-school year use dropping from 1.3 percent to 1.2 percent. Also, there was a decrease for students in grade 6 (3.8 percent to 3.2 percent).

Region(s) and Year	State 2008	State 2010	State 2012	Regions 7&8 2014	Region 7 2016
Current Use, All Grades	10.0%	11.4%	11.1%	6.9%	10.6%
Lifetime Use, All Grades	24.6%	26.2%	26.2%	19.2%	19.7%
Current Use, Grade 7	4.0%	3.9%	3.2%	1.7%	1.6%
Lifetime Use, Grade 7	9.5%	9.5%	8.7%	5.1%	4.1%
Current Use, Grade 12	15.3%	18.4%	18.9%	11.1%	21.9%
Lifetime Use, Grade 12	38.6%	41.5%	41.8%	35.0%	38.0%



Marijuana edibles and vapor are new trends in marijuana use, especially in conjunction with the ecigarette. As a result, marijuana in the form of oils, wax, and concentrates will become more prevalent, especially in promoting the presence of vapor shops across the region.

The consequences of marijuana legalization can lead to increased availability and the normalization of marijuana use. Following the legalization path would lead to further negative health consequences, especially among youth. A negative health aspect involving adolescent with chronic use can lead to dependence and addiction. Unfortunately, the legalization of marijuana will not solve the current public health challenges.

Age of and Early Initiation

	Age of Initiation	Early Initiation (<13)
Regions 7&8 2014	13.7	26.5%
State 2012	13.7	24.9%

State 2010	13.7	25.8%
State 2008	13.6	27.5%

Prescription Drugs

In 2011, the Executive Office off the President of the United States called the abuse of prescription drugs an epidemic. The 2011 Prescription Drug Abuse Prevention Plan further outlined four areas to focus on to reduce prescription drug abuse. The four areas focused on education, monitoring, proper medication disposal, and enforcement. Education on the dangers of abusing prescription drugs is needed for parents, youth, and patients. In addition, proper storage and disposal of prescription drugs is needed to prevent abuse of prescription drugs. Monitoring in Texas includes implemention of prescription drug monitoring programs. One such program already established in Texas is the Prescription Access in Texas (PAT).

In a report conducted by the Trust for American's Health (TFAH 2013), Texas was found to have the eighth lowest drug overdose mortality rate in the U.S. The 2010 mortality rate (per 100,000) for Texas was 9.6. A mortality rate of 9.6 is alarming for Texas because in 1999 the mortality rate (per 100,000) use to be 5.4. As a result, the rate change from 1999-2010 has increased by 78 percent. In fact, according to Lankenau et al. (2012) prescription opioids are most abused by young adults.

Adolescents are at risk for prescription drug use. In fact, estimates from the TFAH indicates that one in four teens have abused or misused a prescription drug during their lifetime. As an example, Ritalin and Adderall use by students was one in eight (13 %). The nonmedical use of Vicodin was another significant prescription drug used among high school students (one in twelve students used Vicodin) as well as OxyContin (one in twenty high school students).

Top 17 Abused Prescription Drugs of 2013						
Prescription Drug	2012 Sales	2011 Sales	% change			
OxyContin (Oxycodone HCI controlled-release	2.695 billion	2.791 billion	-3.4%			
Suboxone (buprenorphine HCI and naloxone)	1.349 billion	1.228 billion	9.8%			
Sublingual Flim Subutex (buprenorphine HCI)						
Concerta (methylphenidate HCI)	1.073 billion	1.268 billion	-15.4%			
Ambien (zolpidem tartrate)	670.6 million	661.1 million	1.4%			
Ritalin/Focalin (methylphenidate HCI)	554 million	550 million	0.7%			
Zoloft (Sertraline HCI)	541 million	573 million	-5.6%			
Lunesta (Eszopiclone)	447.0 million*	420.1 million*	6.4%			
Adderall XR (amphetamine/ dextroamphetamine)	429.0 million	532.8 million	-19.5%			
Opana ER (oxymorphone HCI)	299.287 million	384.339 million	-22.1%			
Xanax XR (alprazolam)	274 million	306 million	-10.5%			
Klonopin/Rivotril (clonazepam)	194 million	211 million	-8.1%			
Fentora (fentanyl citrate)	121 million ¹	186 million ¹	-34.9%			
Percocet (oxycodone acetaminophen)	103.406 million	104.600 million	-1.1%			
Ativan (lorazepam)	30 million ¹	25 million ¹	20.0%			
Soma (carisoprodol)	27 million ¹	46 million ¹	-41.3%			
Valium (diazepam)	8 million ¹	10 million ¹	-20%			

	Top 17 Abused Prescription Drugs of 2013						
Vicodin (hydrocodone bitartrate and - 168 million ¹ -							
	acetaminophen)						
	Source. Drugs.com and EvaluatePharma. *=2012-2013, 2011-2012 sales. 1 = sales from						
	EvaluatePharma. List retrieved from http://www.genengnews.com/insight-and-intelligence/top-17-						
	abused-prescription-drugs-of-2013/77899961/?page=1						

Age of Initiation

The Age of Initiation for prescription drugs was not asked on the 2014 TSS. However, the prevalence of prescriptions in the region is an indication of prescription drug access. Because of the large amount of prescriptions relative to the 2014 population, the potential for youth to become involved with prescription drug abuse is a viable concern in Region 7.

Early Initiation

Adolescents initiating the use of prescription drugs are a real concern given that Region 7 has a high number of prescriptions compared to population. For example, in 2014 there were 3,589,960 prescriptions for a population of 3,148,709. The number of prescriptions to population in Region 7 is 8 prescriptions for 7 individuals. Of all 30 counties in Region 7, only three counties had more population compared to prescriptions (Bell, Brazos, and Coryell). Travis (1,202,860 prescriptions/1,094,126 population), Williamson (568,398 prescriptions/466,057 population), and McLennan (307,466 prescriptions/241,469 population) counties had the highest prescriptions to population ratio.

In addition, the amount of Schedule 2 prescriptions in Region 7 increases the likelihood of early initiation among adolescents abusing dangerous prescriptions. There were 1,770,742 scheduled 2 prescriptions in Region 7 among a 2014 population of 3,148,709. Schedule 2 prescriptions in Region 7, if viewed as a prescription per person, would translate to a rate of 14 out of every 25 individuals.


Schedule 2 drugs are defined as "drugs with a high potential for abuse, less abuse potential than Schedule I drugs, with use potentially leading to severe psychological or physical dependence. These drugs are considered dangerous" (DEA). Examples of Schedule 2 prescriptions are Combination products with less than 15 milligrams of hydrocodone per dosage unit (Vicodin), cocaine, methamphetamine, methadone, hydromorphone (Dilaudid), meperidine (Demerol), oxycodone (OxyContin), fentanyl, Dexedrine, Adderall, and Ritalin. In contrast, Schedule I drugs include heroin, lysergic acid diethylamide (LSD), marijuana (cannabis), 3,4-methylenedioxymethamphetamine (ecstasy), methaqualone, and peyote. These drugs are defined by the federal government "with no currently accepted medical use and a high potential for abuse. Schedule I drugs are the most dangerous drugs of all the drug schedules.


Current and Lifetime Use

When asked if students ever used prescription drugs in their lifetime, the Regions 7 and 8 outcome for students in grades 7-12 was 14.6%. Regions 7 and 8 are the top areas for students in grades 7-12 to self-report current use of prescription drugs (i.e., second in highest percent reported). Additionally, comparatively to lifetime use, Region 7 and 8 is tied with Region 4 (14.6%) and third in highest percent reported from students.

Region(s) and Year	Region 7 2016	Regions 7&8 2014	State 2012	State 2010	State 2008
Current Use, All Grades	10.1%	7.3%	5.9%	6.3%	6.4%
Lifetime Use, All Grades	18.3%	13.1%	14.2%	14.8%	15.3%
Current Use, Grade 7	8.5%	3.0%	3.5%	3.7%	3.9%
Lifetime Use, Grade 7	15.2%	5.2%	7.9%	8.3%	8.5%
Current Use, Grade 12	13.1%	10.2%	7.8%	7.7%	7.9%
Lifetime Use, Grade 12	24.0%	22.2%	20.8%	19.8%	20.8%


The state average percent of opiod medicare claims to total claims for Texas is 5.79 and for region 7 it was 5.53. The county that had the highest percent in region 7 was Robertson at 16.16%. The below figure shows the top 5 highest in region 7.





Additional Data

PERCENT OF PAST-YEAR USE OF VARIOUS DRUGS AMONG 12TH
GRADERS



Source. University of Michigan, 2014 Monitoring the Future Study

Special Topic: Opiates

National Crisis


As use of prescription and illicit opiates has increased and an estimated 91 Americans die from an opioid overdose every day the opioid epidemic has reached national news many times in the last couple years. The death toll seems to be focused predominantly in the northeast of the U.S. in 2013-2015 Since 1999 the number of overdose deaths invlovling opioids has quadrupled (CDC, 2016).


Regional Use

Region 7 has not seen an increase in opioid and while many states saw an increase in drug overdose death Texas, despite its proximity to Mexico was not one of them (CDC 2016). The primary drugs seized and used in region 7 are Marijuana, Cocain, and Methampetamine. But this is not to downplay the problems of opioid use in this region, the majority of drug deaths involve an opioid and this is expected to hold true for region 7 as well.

Emerging Trends

The description of emerging trends is guided by the following tables and figures describing substance use in Texas. Alcohol use among adolescents is still the number one concern. The second concern is marijuana use. Sporadic in use, the use of synthetic marijuana tends to make headlines during spring and summer. Also, related to marijuana use, the perceived risk of harm has steadily declined.





Synthetic Cannabinoids


In Region 7, use of synthetic marijuana has been sporadic and inconsistent. Below are a series of figures describing use of synthetic cannabinoids by adolescents.

S	Synthetic Marijuana Consumption, Grades 6-12							
Area	Current Use,	Lifetime Use,	Current Use,	Lifetime Use,				
	All Grades	All Grades	Grade 12	Grade 12				
Texas	1.8%	6.6%	2.1%	9.4%*				
Region 1 and 2	1.5%	7.3%	3.0%	13.2%				
Region 3	1.1%	3.8%	1.1%	6.4%*				
Region 4	1.3%	6.9%	1.4%	12.1%*				
Region 5 and 6	1.8%	6.3%	2.0%	9.5%*				
Region 7 and 8	1.3%	5.5%	2.9%	9.4%				
Region 9 and 10	2.3%	7.9%	3.5%	15.4%				
Region 11	2.5%	7.6%	2.6%	10.5%*				


Source. 2014 Texas School Survey (tD-1). *=Use 10th and 11th grade is equal to or grader than 12th grade.

Synthetic Marijuana Initiation, Grades 6-12							
Area	Age of Initiation	Early Initiation (<13)					
Texas	14.2	14.7%					
Region 1 and 2	14.2	11.6%					
Region 3	14.1	15.7%					
Region 4	14.5	9.8%					

Synthetic Marijuana Initiation, Grades 6-12							
Region 5 and 6	14.2	14.9%					
Region 7 and 8	14.2	18.3%					
Region 9 and 10	14.0	16.5%					
Region 11	14.1	18.9%					
Source. 2014 Texas School Survey (q21L).							



Synthetic cannabinoids response for not at all and very dangerous



Synthetic Cathinoids

Bath salts were more prevalent in 2011. As recorded by the Texas Poison Center Network the number of bath salt cases had declined in Region 7. From the table that follows, only 11 counties in Region 7 had cases of synthetic cathinoids. An observable improvement is the decline in bath salt exposures in Travis County.

County	2010	2011	2012	2013	2014
Bastrop		1			
Bell	2	9	1	1	
Brazos				1	
Burleson		3		1	
Burnet		1			
Hays		1	1	1	
McLennan		2			
Milam					1
Travis		14	4	4	
Washington			1	1	
Williamson	2	2	4		
Total	4	33	11	9	1

Source. Annual number of synthetic cathinone (bath salts) exposures reported to the Texas Poison Center Network during 1/1/2010 to 11/30/2014. Counties not present did not have any reported.

BHO "Dabbing" and Consumables

Butane hash oil (BHO) or honey oil is a more condensed version of THC (component of marijuana providing the high) use. The practice of cooking BHO has led to individuals blowing up their homes and injuring themselves and those in proximity. BHO "dabbing" and consumables need marijuana and the table below provides an idea of possible BHO in Region 7.

Description	Solid Pounds	Solid Ounces	Solid Grams	Liquid Ounces	Dose Units	Items
Marijuana(Packaged)	166365	234	0	0	0	0
Hashish(Liquid Oil)	0	0	0	27	0	0
Hashish(Solid)	69	29	100	0	0	0
Total	166434	263	100	27	0	0
Source. 2013 Texas DPS Drug Seizures						

E-Cigarettes/Vaping

The use of e-cigarettes (e-cigs) is a new trend. In the table below, the Texas Poison Center Network (TPCN) received reports on electronic cigarette exposures from 2009-2014. Counties missing from the list in Region 7 are counties where no calls exist. From 2013 to 2014, the amount of e-cigs exposure increased by a multiple of 3 – an incredible jump in exposure among 14 counties in Region 7.

County	2010	2011	2012	2013	2014
Bastrop					2
Bell			1		4
Bosque				1	
Brazos		1			2
Burnet					2
Coryell				2	2
Hays				1	1


County	2010	2011	2012	2013	2014
Hill					1
Madison					1
McLennan					4
Milam					1
Travis			3	6	13
Washington					1
Williamson			1	4	7
Total	0	1	5	14	41


Perception of the Dangers of Vaping


Region	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
State	52.1%	13.4%	15.2%	13.5%	5.8%
1&2	50.3%	14.7%	17.7%	11.2%	6.1%
1&9	51.4%	15.2%	16.50%	11.8%	5.2%
2	53.1%	14.2%	16.60%	9.8%	6.2%
3	48.4%	14.0%	16.6%	15.6%	5.4%
4&5	55.2%	13.2%	14.5%	10.5%	6.5%
5&6	52.4%	12.5%	15.2%	13.1%	6.7%
6&8	50.9%	12.8%	15.70%	14.2%	6.4%
7	48.3%	14.8%	17.0%	14.8%	5.1%
7&8	49.2%	14.0%	16.40%	15.0%	5.4%
9&10	53.9%	14.3%	14.4%	12.0%	5.4%
10	55.1%	13.8%	13.50%	12.1%	5.6%
11	60.8%	11.5%	10.6%	10.3%	6.8%


Other Substances


Taken from the Texas School Survey (TSS), how students felt about the following drugs helped to describe their thoughts.

















Tobacco Use from the TSS

	Current Use, All Grades	Lifetime Use, All Grades	Current Use, Grade 7	Lifetime Use, Grade 7	Current Use, Grade 12	Lifetime Use, Grade 12
Region 7 2016	13.0%	26.5%	2.7%	7.5%	26.5%	46.3%
Region 7&8 2014	7.4%	19.4%	1.9%	8.8%	15.3%	32.5%
State 2012	11.0%	27.7%	3.7%	12.9%	21.3%	42.3%
State 2010	12.5%	30.5%	4.8%	15.1%	22.7%	45.1%
State 2008	12.9%	31.7%	4.8%	16.6%	24.0%	47.8%

	Age of Initiation	Early Initiation (<13)
Region 7&8 2014	13.2	35.7%
State 2012	13.1	38.5%
State 2010	13	40.2%
State 2008	12.9	42.1%

Consequences

Overview of Consequences

Several consequences are associated with alcohol and drug use, including: death, incarceration, hospitalization, and lower SES status. Below is an attempt to describe consequences as a result of alcohol and substance abuse.

Mortality

Overdose Deaths

From the Texas Poison Center Network during 2010-2014 8 individuals died from synthetic cannabinoids and cathinones (see below table).

Medical outcome	Synthetic cannabinoid	%	Synthetic cathinone	%
No effect	151	5.4	21	3.5
Minor effect	615	22.0	78	13.0
Moderate effect	1146	41.0	290	48.3
Major effect	220	7.9	70	11.7
Death	4	0.1	4	0.7

Drug and Alcohol Related Fatalities

In the table below, Llano is observed to have the highest rate of death from alcohol and drug (UCD, 1999-2015).

County	Drug- and Alcohol- Induced Deaths (1999-2015)	Population, 1999-2015	Age Adjusted Rate per 100k
Bastrop	215	1,184,723	17.2
Bell	538	4,842,745	12.5
Blanco	37	166,645	17.6
Bosque	57	302,794	17.6
Brazos	309	3,068,647	13.6


Burleson	42	288,652	14
Burnet	125	688,062	16.8
Caldwell	86	623,711	14
Coryell	110	1,263,527	10.6
Falls	38	303,821	12.5
Fayette	45	403,042	10.7
Freestone	28	323,748	8.2
Grimes	85	437,636	17.8
Hamilton	21	141,087	14.5
Hays	332	2,387,530	15.1
Hill	101	581,051	17.5
Lampasas	45	327,991	12.6
Lee	36	278,047	12.1
Leon	52	276,895	17
Limestone	56	390,350	13.7
Llano	99	315,686	30.6
McLennan	615	3,874,305	16.8
Madison	31	227,679	14.5
Milam	73	419,365	16.4
Mills	Suppressed	83,713	Suppressed
Robertson	48	278,802	17.3
San Saba	15	102,220	Unreliable
Travis	2,995	16,411,526	18.9
Washington	76	551,623	12.7
Williamson	731	6,327,625	11.9

Rural counties display (in the table below) higher DUI fatality rates. For example, Blanco (16.81), San Saba (16.28), and Fayette (15.29) are counties with higher DUI fatality rates. Looking into the crash rate, we observe that counties Blanco (218.56), Burleson (194.84), and Llano (155.01) are greater in rate. Of the two rates, Blanco appears twice and would be an area of interest for improvement.

County	County Population 2010-14	Total DUI Crashes, 2010-14	Total DUI Fatalities, 2010-14	DUI Crash Rate per 100K, 2010-14	DUI Fatality Rate per 100K, 2010-14
Bastrop	383785	353	25	91.98	6.51
Bell	1613971	1504	67	93.19	4.15
Blanco	53531	117	9	218.56	16.81
Bosque	92050	90	8	97.77	8.69
Brazos	1003418	1093	16	108.93	1.59
Burleson	87249	170	10	194.84	11.46
Burnet	218396	306	16	140.11	7.33
Caldwell	196214	272	22	138.62	11.21
Coryell	387292	290	13	74.88	3.36
Falls	90339	79	5	87.45	5.53
Fayette	124224	157	19	126.38	15.29
Freestone	100463	145	3	144.33	2.99
Grimes	135698	202	10	148.86	7.37
Hamilton	42578	35	1	82.2	2.35
Hays	836521	1083	28	129.46	3.35
Hill	178140	207	18	116.2	10.1
Lampasas	100364	91	0	90.67	0
Lee	84402	119	9	140.99	10.66
Leon	85411	103	10	120.59	11.71
Limestone	118685	135	8	113.75	6.74
Llano	96770	150	8	155.01	8.27
Madison	69464	65	6	93.57	8.64
McLennan	1190932	1478	63	124.1	5.29
Milam	125127	183	10	146.25	7.99
Mills	24691	25	3	101.25	12.15
Robertson	84736	127	13	149.88	15.34
San Saba	30721	36	5	117.18	16.28
Travis	5296170	7387	169	139.48	3.19
Washington	170746	222	10	130.02	5.86
Williamson	2221217	1285	57	57.85	2.57

Legal Consequences

For legal consequences, the incarceration rate for offenders is highest among the following counties: Limestone (474.88), McLennan (473.80), and Hill (438.56). The rates presented here come from the Texas Commission on Jail Standards, Incarceration rate report for March 2014 to February 2015. Also, the rates are based on 100,000 population amounts. The incarceration rate report provides a general estimate.




The table below shows the Region 7 case dispositions for drug and alcohol related arrests for 2016.

County	DWI	Drug Offenses	County	DWI	Drug Offenses	
Bastrop	177	218	Lampasas	76		201
Bell	106	187	Lee	51		168
Blanco	9	27	Leon	125		90
Bosque	38	148	Limestone	49		183
Brazos	583	1,194	Llano	68		164
Burleson	124	145	McLennan	819		1,532
Burnet	184	442	Madison	72		149
Caldwell	188	374	Milam	91		218
Coryell	155	278	Mills	8		53
Falls	120	224	Robertson	45		135
Fayette	81	258	San Saba	19		22
Freestone	61	132	Travis	8,128		8,213
Grimes	90	151	Washington	70		372
Hamilton	15	113	Williamson	1644		3,288
Hays	655	1,233	Region 7	13,992		20,247
Hill	141	335				


Below are Arrests for 2015 Drug and Alcohol Abuses.

County	Driving Under the Influence	Liquor Laws	Drunkeness	Drug Abuse Violations(Total)	Sale/Manu facture (SubTotal)	Possession(Sub Total)
Bastrop	199	26	188	346	11	264
Bell	577	62	536	1567	33	1412
Blanco	25	2	26	60	11	42
Bosque	22	38	33	82	18	59
Brazos	658	277	573	1223	75	1052
Burleson	59	17	33	47	2	41
Burnet	46	14	90	179	15	153
Caldwell	51	7	136	152	8	125
Coryell	101	26	94	291	73	208
Falls	20	1	7	40	9	29
Fayette	26	2	74	109	12	96
Freestone	59	1	47	69	5	63
Grimes	50	15	22	84	7	75
Hamilton	32	11	35	125	28	89
Hays	536	342	483	749	30	636
Hill	109	8	52	148	17	129
Lampasas	70	52	31	180	7	153
Lee	54	13	25	111	12	95
Leon	10	4	0	14	0	14
Limestone	27	32	37	141	10	125
Llano	40	6	42	106	15	90
Madison	25	8	48	80	7	72
McLennan	513	251	582	1144	60	1043
Milam	67	16	66	117	3	110
Mills	9	0	5	46	2	41
Robertson	51	9	66	100	11	86
San Saba	3	0	0	8	0	8
Travis	6443	557	2832	6013	333	5089
Washington	55	37	119	221	20	183
Williamson	942	162	468	2147	67	1832
Region 7	10879	1996	6750	15699	901	13414



Substance Use Criminal Charges

Listed below are the number of inmates serving alcohol and drug sentences divided by the population, and then multiplied by 100,000. The formulaic approach paints the picture that the highest rates occurs in Mills County (445.34). Next, we observe that McLennan County (271.05) and Llano (236.71) have the second and third highest rates for criminals serving alcohol and drug sentences. The three counties show inmates are placed or found in rural counties. This indicates monitoring of rural counties and the flow of drugs into urban counties should be considered.



Hospitalization and Treatment

Hospital Use due to AOD

In Region 7, there were 177 AOD discharges. This resulted in a mean cost of \$33, 082 (MONAHRQ 2012 data). If we multiple the number of discharges by the mean cost we get a total of \$5,855,496.52. However, there are significant costs in several counties: Bell (\$15,334; 28 discharges), Brazos (\$21,087; 6 discharges), Coryell (\$40,297; 10 discharges), McLennan (\$23,233; 14 discharges), Travis (\$39,779; 78 discharges), and Williamson (\$37,400; 26 discharges). For other counties in Region 7, their data has been suppressed because for 5 discharges or less the data is protected.

Adolescent AOD-related ER Admits


ER numbers were not determined. However, health professional express that they usually help with any bodily injury and do not necessary address substance use. As a result, a repeat substance abuser would keep coming to the ER if sustaining bodily injury.


In Region 7, there were 196 cases of synthetic cannabinoid use. This represented a 7.4% regional use compared to the rest of the State. Region 7 had the fifth highest synthetic cannabinoid use in the State with a rate per 100,000 of 6.65. Also, data from the Texas Poison Center Network (TPCN), 2009-2014 indicates that 8 individuals died from synthetic cannabinoid and synthetic cathinone exposures. For synthetic cathinone use, Region 7 had 58 cases. This total made up 9.9% use of total State percentages; Region 7 had the fourth highest percentage in synthetic cathinone use.

Medical outcome	Synthetic cannabinoid	%	Synthetic cathinone	%
No effect	151	5.4	21	3.5
Minor effect	615	22.0	78	13.0
Moderate effect	1146	41.0	290	48.3
Major effect	220	7.9	70	11.7
Death	4	0.1	4	0.7
Not followed, judged as nontoxic exposure (clinical effects not expected)	1	0.0	1	0.2
Not followed, minimal clinical effects possible (no more than minor effect possible)	171	6.1	24	4.0
Unable to follow, judged as a potentially toxic exposure	452	16.2	102	17.0
Unrelated effect, the exposure was probably not responsible for the effect(s)	32	1.1	10	1.7
Total	2792		600	

Substance Abuse Treatment

Region 7 in 2015 518 adolescents (12-17) received DSHS treatment and 3,687 adults (18+). The majority of treatment in region 7 was for alcohol (1234 people) and marijuana use (916 people) followed by methamphetamine (672 people) and Heroin (500 people). Region 7 had slightly higher rates of individuals seeking alcohol and methamphetamine while the state had slightly higher rates for amphetamine and marijuana.





Economic Impacts

Underage Drinking/Drug Use

Problems related to the misuse of alcohol can cost the United States \$223.5 billion with \$18.82 billion of that coming from Texas (\$14.97 billion of that is attributed to binge drinking). That is \$1.99 per drink and \$748 per person in Texas. The Centers for Disease Control and Prevention has determined that almost three-quarters of the total cost for alcohol abuse is tied to binge drinking [2].

Average Cost of Treatment in Region

The average cost of treatment in Region 7 varies and is subject to change over time. However, some examples in the region include the following: Austin Recovery (Austin, TX)-\$8,850 per month; Burning Tree (Kaufman and Elgin, TX)-\$33,000 for a 3 month stay [3]; Christian Farms Treehouse Inc (Temple, TX)-intensive treatment for \$4,500 per month and supportive treatment for \$3,000 per month. For more precise estimates, evaluators need additional information.

Employability and College Admissions

Two very effective means for encouraging adolescents and youth to stay away from alcohol and drugs is employment and college admissions. Today's young people are concerned about getting a job or going to college. In Region 7 a media effort was used to address these two concerns. Current estimates indicate 3 out of 5 businesses drug test employees; we know marijuana remains in the human system for long periods of time. Therefore, the notion of not keeping or not receiving employment because of drug use connects with people. Most of the media efforts were concentrated in Greater Austin and the Brazos Valley.

Environmental Protective Factors

Overview of Protective Factors

Protective factors range in several different categories. In this section, the author has attempted to begin identifying the protective factors by choosing apparent contributors.

Community Domain

The use of coalitions is the current method for reaching into communities to address issues of substance abuse. Alcohol and drugs are present everywhere and each community must be transparent in making issues of substance abuse known to all members of the community. Currently, there are 39 DSHS-funded coalitions in Texas. Of these 39 coalitions, 4 operate in Region 7. The presence of these coalitions serves as proactive factors in helping adolescents remain drug-free.

Community Coalitions

In Region 7, according to Coalitions Texas, four DSHS-funded coalitions currently operate. These coalitions include the Voice Against Substance Abuse Coalition in Waco; the Community Alcohol and Substance Awareness Partnership (CASAP) in Bryan; the Hearne Zero Tolerance Youth Coalition in Hearne; and the LifeSteps Substance Abuse Prevention Coalition in Round Rock.

Regional Coalitions

A fifth coalition working in Region 7 is the Robertson County Community Coalition (RCCC). This coalition is financially supported through a drug-free communities grant and works in partnership with the Hearne Zero Tolerance Youth Coalition. Together, both coalitions work with partners in Robertson County to address issues of alcohol abuse and drug use in the community.

Also, another coalition of note is the Hays Caldwell Council on Alcohol and Substance Abuse. This coalition is involved in education and advocacy for better conditions free of substance abuse concerns is inspiring. They are well informed on their communities and knowledgeable about specific substance abuse struggle is present.

A final noteworthy organization is Texans Standing Tall (TST). This state-wide coalition is known for being leaders in producing reports and generating activities for awareness concerning underage drinking. One such report describes how the increase of an alcohol tax by 10 cents can dramatically change the health and economic status of residents in Texas. This coalition, however, is expanding to address state wide issues related to the dangers of substance abuse.

Treatment/Intervention Providers

Substance abuse and mental health treatment providers are centered in San Marcos, Austin, Georgetown, Belton, Waco, and Bryan/College Station. Most service providers are located in Austin. There are a few mental health providers located in areas such as Caldwell, Cameron, Hearne, Navasota, Killeen, Lampasas, Hamilton, and Liberty Hill counties. BVCASA (which serves Brazos, Burleson, Grimes, Leon, Madison, Robertson, and Washington counties) has adult and adolescent outpatient treatment services and has the pregnant-postpartum intervention program providing intervention and HIV/AIDS services. **More Treatment facilities available upon request.**

Organization	Services	Counties Served
MHMR authority of the Brazos Valley	 Veteran Services Vocational Services for Disabled Individuals Day Habilitation and Skill Building Services Residential Services for Disabled Individuals Health, Dental, and Nursing Services Specialized Therapies (physical, occupational, etc) Crisis services Intake Individual, Group, and Family Counseling Skills training Parent Support Groups Psychiatric Evaluation, Medication Monitoring and Management Patient and Family Education Respite Routine Case Management Intensive Case Management with Wraparound Planning Peer Support Services Psychosocial Rehabilitation Services Diagnostic Assessment 	 Brazos Burleson Grimes Leon Madison Robertson Washington
Heart of Texas Region MHMR Center	 Early Childhood Interventions Veterans Services Intellectual/Developmental Disabilities Services Child/Adolescent Mental Health Services Crisis Treatment Center Mental Health Admissions Crisis Hotline Inpatient Psychiatric Hospitalization Mobile Crisis Outreach Teams Mental Health Case Management Psychiatric Services Rehabilitation/Counseling Medication Coordination 	 Bosque Falls Freestone Hill Limestone McLennan

Central Counties Services	 Assertive Community Treatment Independence Center Mexia Peer Support Center Supported Housing Supported Employment Texas Correctional Office on Offenders with Medical or Mental Impairments (TCOOMMI) Services Crisis Hotline Crisis Intervention Screening Intake Routine Case Management Skills Training Psychiatric Services Supported Employment Supported Housing Counseling Assertive Community Treatment (ACT) Psychosocial Services Respite Day Programs Children's Mental health Services YES Waiver Early Childhood Intervention Service Coordination Behavior Supports Home and Community Based Services Day Habilitation Veteran Services 	 Bell Coryell Hamilton Lampasas Milam
Bluebonnet Trails Community Services	 Crisis Hotline Psychiatric Services Counseling Case Management Psychosocial Services Supported Housing Suported Employment Peer Support Respite Mobile Crisis Outreach Team Skills training TCOOMMI Services Referrals Financial Support Outreach-Screening-Assessment-Referral Services (OSAR) Outpatient Services Medical and Dental services Peer Support Services 	 Bastrop Burnet Caldwell Fayette Gonzales Guadalupe Lee Williamson

Austin Travis County Integral Care	County Integral • Coommunity AIDS Resources and Education	
	Psychiatric ServicesTransitional Services	
Center for Life Resources	 Crisis Hotline Information & Referral 24-Hour Crisis Services Diagnostic Assessment Symptom Management Psychiatric Services Client & Family Mental Health Education Service Coordination Community Living & Problem Solving Skills Respite Housing Assistance Vocational Training & Employment Assistance Family Support Services Autism Services and Support Group Case Management and Treatment Planning Skills Training Family Partner Support Inpatient services 	 Brown Coleman Comanche Eastland MucCulloch Mills San Saba

	 Wraparound Planning Counseling Nurturing Parenting Skills Training School-Based Services Nursing Day Habilitation Adaptive Aids Residential Assistance Supported Employment Early Childhood Interventions Inpatient and Outpatient Services Veteran Services 	
Hill Country Mental Health & Developmental Disabilities Centers	 Crisis Hotline Skills training Psychiatric Services Peer Groups Supported Employment Supported Housing Mental Health Crisis Support Day Programs Residential Services Supported Home Living Respite Service Coordination Vocational Services Community Supports Adult Outpatient Services Ambulatory Detoxification Services Early Childhood Intervention Veteran Services 1115 and YES waivers 	 Bandera Blanco Comal Edwards Gillespie Hays Kendall Kerr Kimble Kinney Llano Mason Medina Menard Real Schleicher Sutton Uvalde Val Verde

Religion and Prevention

Although it's powerful for youth to witness testimonies from their peers overcoming addictions, the data involved in such an occurrence lends itself to a rich qualitative nature. The transformative motivation and inspirational call to not get involved with drugs and alcohol after a testimony can have incredible influence over a community. Among religion options related to prevention is Celebrate Recovery, Alcoholics Anonymous, and Narcotics Anonymous which aim to help with recovery and support as well as Al-Anon which aims to help family members and loved ones of people addicted to substances. These organizations have numerous testimonies of being effective in helping those who are struggling with an addiction, yet clear numbers of how many individuals have recovered from an addiction and remain free from their addiction is not readily known partially due to the anonymous nature of such groups.

School Domain

YP Programs

Agencies providing youth prevention (YP) programs are empowered by local coalitions and the prevention resource center. Considering all YPs, along with coalitions and the regional prevention resource center, there are 9 agencies that contribute to youth prevention. According to DSHS, the following agencies are funded in Region 7 and work in some capacity toward youth prevention, if not directly: (1) Austin-Travis County MHMR and Austin Travis County Integral Care, (2) Brazos Valley Council on Alcohol and Substance Abuse, (3) Connections Individual and Family Services Inc., (4) Hays Caldwell Council on Alcohol and Drug Abuse, (5) Phoenix Houses of Texas, Inc., (6) Viable Options in Community Endeavors, (7) Williamson Council on Alcohol and Drugs, dba LifeSteps, (8) Youth and Family Alliance, and (9) YWCA of Greater Austin. However, there are several noteworthy agencies working in Region 7, such as Texans Standing Tall and the Heart of Texas MHMR working to develop a Waco ROSC.

Students Receiving AOD Education in School


Although students across Texas and in Region 7 receive education about the dangers of alcohol and other drugs, complete data collection is still needed. From the Brazos Valley Council on Alcohol and Substance Abuse (BVCASA), 1310 students receive education about the danger of alcohol and other drugs in 2016 and approximately 14,770 students were invlovled in a prevention program across the 30 counties in 2016. All of these students are from Education Service Center 6. Further data collection and inquiry is needed to identify more students receiving education.

Academic Achievement

In the figure below graduation rates are compared to dropout rates. Early in this report, we described the dropout rates and witnessed the highest dropout rate in Brazos County. Also, in the below figure, we see the relationship between graduation and dropout rates since Brazos County has the lowest

graduation rate. The highest graduation rates are in Blanco (98.3), Lampasas (97.9), and Fayette (97.1).

Graduation and Dropout Rates, 2013



Family Domain


Parental/Social Support

According to a 2012 SAMHSA study [4], "more than 10 percent of U.S. children live with a parent with alcohol problems".

Additionally, 32% of children in Region 7 are in single-parent households.

As a specific example, Grimes County leads all Region 7 counties in having the highest percentage (45%) of children living in single-parent households. In contrast, Fayette County has the lowest percentage of children living in single-parent households (19%).

PERCENT OF CHILDREN IN SINGLE-PARENT HOUSEHOLDS



In terms of social support, members of Region 7 work to identify and support social associations in the region. Associations identified include civic organizations, bowling centers, golf clubs, fitness centers, sports organizations, religious organizations, political organizations, labor organizations, business organizations and professional organizations. We furether identify social associations in terms of the number of associations per 10,000 residents as sourced from the North American Industry Classification System (2013). In Region 7, the association rate is 13.26 with comparative information indicating Williamson County having the lowest association rate (6.0) and Hamilton County having the highest rate (21.7).

	Social Association Rates				
Area	Association Rate	Region 7 Counties	Association Rate	Region 7 Counties	Association Rate
Texas	7.8	Bastrop	9	Hill	11.5
Region 7	13.26	Bell	8.2	Lampasas	13.8
		Blanco	13.1	Lee	13.2
		Bosque	16.2	Leon	18.5
		Brazos	8.4	Limestone	11.1
		Burleson	14	Llano	14.9
		Burnet	13.2	Madison	10.2
		Caldwell	9.7	McLennan	12
		Coryell	7.3	Milam	17
		Falls	16	Mills	18.3
		Fayette	21	Robertson	16.4
		Freestone	13.2	San Saba	18.3
		Grimes	8.6	Travis	12.1
		Hamilton	21.7	Washington	17.6

		Social Assoc	iation Rates		
		Hays	7	Williamson	6.2
Source. North American Industry Classification System, 2013					

Parental Attitudes toward Alcohol and Drug Consumption

Parental attitudes toward alcohol and drug use influence decisions made by youth and adolescents. For example, in one meeting from the LifeSteps Coalition (Round Rock, TX), a high school student organization introduced – SOS, Students Opposing Substances. The SOS organization worked to establish an agreement between students and parents that parental drug testing of students only occured after spending time with other students. Students described this method as a way to not give into peer pressure and to inform parents of students' choices in peers. Strengthening the parent-student relationships is important for describing current struggles of both parties.

Students Talking to Parents about ATOD

Youth prevention (YP) services provide a unique opportunity for students to start the conversation with parents about alcohol and drug use. There are several YP programs in Region 7, yet data collection methods and psychometric evaluation of instruments is required. Data from some YP services have undergone rigorous data quality measures to yield reliable results for informing policy makers and stakeholders.

Individual Domain

Life Skills Learned in YP Programs


Youth Prevention Programs occur in Region 7, yet exact data from youth prevention is still not incorporated or evaluated for feasibility in the RNA. We know youth prevention programs are required to inform evidenced based practices. With that said, more work is needed to identify how impact life skills learned in YP programs have reshaped the community. For example, there is evidence that resiliency progra have helped youth overcome difficult circumstances and succeed by going to college.

Mental Health and Family Recovery Services

Mental health and family recovery services continue to expand and meet the changing needs of mental health first aid in the classroom. For example, Austin Integral Care has offered services to educators because of increased incidences of violence among youth in schools. In fact, the ACE study demonstrated that students no longer feel safe in schools.

Youth Employment

The percentage of youth working can create a positive factor in reducing drug use. For example, Llano County had the lowest employment for males, 16-19 years of age (13.35%). For females, 16-19 years of age, the county with the lowest employment was Mills (10.08%). For males, 20-21 years of age, the county with the lowest employment was Madison (25.57%). As for females, 20-21 years of age, the county with the lowest employement was Blanco. Other specific percentages can be found in Appendix B. From the figure below, San Saba and Burnet Counties have the most youth employed.



Youth Perception of Access

Illustrated in Accessibility, youth easily gain access to alcohol, marijuana, and prescription drugs. Therefore, the use of youth prevention programs becomes vital in helping youth decide drugs are not for them. Our cause as prevention professionals also comes into the picture, because youth have access "in a sense" to whatever they want. Our message about the dangers of alcohol and drug use becomes a priority and the cost for prevention becomes that more necessary. As we continue to limit access, helping youth be aware of the real life dangers in alcohol and drug use remains important.

Youth Perception of Risk and Harm

Illustrated in Perceived Risk of Harm section, youth tend to develop the belief that alcohol and prescription drugs are not dangerous. That trend is seen by observing the increased "not harmful" perspective of students from grades 6 to 12. For students in grade 12, the largest numbers occur for youth perceiving low risk in relation to alcohol and prescription drug use. For marijuana use, however, the largest numbers occur with students in grades 10 and 11. This suggests high school prevention programs talking about marijuana have been influenced by youth in grade 12.

Trends of Declining Substance Use

Although there is indication of downward trends related to alcohol and drugs over time, the sporadic spikes of synthetic marijuana use have led to an increase in concern across communities and changes in community and user behaviors. For example, quick and sudden spikes in synthetic marijuana use have been driven by employers' effort to drug test employees. Community stakeholders offer the possibility that marijuana users seek synthetic marijuana to get the same high and pass drug test.

Region in Focus

Gaps in Services

There are many opportunities for improvement concerning the services of Region 7. A growing issue in Region 7 is the language barrier. Not all service providers can help the Spanish-speaking population. This becomes more apparent in rural areas where services are already limited (e.g., San Saba County). Access to services (e.g., detox facility) is also lacking in rural areas. Finally, navigating the healthcare system is a challenge for many individuals living in Region 7.

Gaps in Data

Gaps exist in county-level data collection efforts across the region. In addition, as efforts are made to unify counties in data collection, gathering data in Spanish becomes apparent. The need to support local communities in collecting data remains a constant effort; especially as regional needs assessments attempt to tie into relevance at the local level. Stakeholders in the community have expressed that data become more local or specific to their communities.

A significant source of surveying across the region is conducted through the Public Policy Research Institute. For the most part, drug and alcohol data collected from adolescents throughout the region is short of rich and detailed regional assessment, especially at the county-level. There are a number of coalitions assessing their community needs, but data outcomes are not representative for the region. Community-level data reporting can be collected for our evaluation and study of variables and factors at work, but more region-wide data collection is necessary. As a result, existing data is currently the only way to begin assessing and estimating the effects of alcohol, marijuana, and prescription drug use in the region. Therefore, continued encouragement and support for community-level efforts in the region is required. Further community-level activity is necessary to translate community data to a regional-level assessment. Expanding community data gathering efforts allows members of the region to develop county-level assessments and relational connections to neighboring counties.

The evaluation of certain seasonal occurrences is also necessary. For example, times related to the numerical value of 420 are commonly used in marijuana activity. The numerical value 420 can mean April 20th or the times 4:20pm or 4:20am. Also, the term "420 friendly" is sometimes used in online social media settings as an indication of being open to marijuana use. In addition to marijuana activity, alcohol use generally increases during holidays (e.g., New Year's Eve). However, instruments (e.g., surveys) are needed to measure spikes in alcohol abuse to address this issue in the following years.

Regional Partners

Many regional partners support the efforts of the Prevention Resource Center 7. For example, the willingness of Huston-Tillotson University to foster epidemiological work on their campus has been an asset in describing the current nature of tobacco, alcohol, and drug use in Region 7. Public schools and districts have been vital in providing necessary education to students concerning the dangers of alcohol and drug use. Likewise, coalitions have been instrumental in prompting local change in communities. Though we are many people working for the same cause, we should continue in our work to identify others doing the same work and build stronger relationships.

Regional Successes

Region 7 has two permanent box for individuals to drop off unwanted prescribed medicine: Robertson Co. Sheriff's Office and the Brazos Co. Sheriff's Office. Additionally, a recent single event for prescription drug collection was conducted in the region. Also, through the efforts of CVS/pharmacy and The Partnership at Drugfree.org, another site for the collection of prescription drugs, MedReturn, was created. In region 7, the collection site is located at the following: San Marcos Police Department, 630 E. Hopkins, San Marcos, TX 78666.

Several individuals involved in policy making at the city and college level in Region 7 are now discussing and developing policies related to the use of e-cigarettes in public establishments. For example, Baylor University has created policy disallowing e-cigarettes on-campus. The same discussion is occurring at the community-level as tobacco-free individuals have expressed discomfort when in close proximity to users of e-cigarettes.

Due to the presences of numerous public and private universities, Region 7 is enriched with access to academic scholars. These scholars have been instrumental in forming an epidemiological workgroup to address issues of marijuana use, prescription drug abuse, and underage drinking among adolescents. A second epidemiological workgroup is currently working to address issues related to tobacco use. Having multiple epidemiological workgroups helps foster the scientific investigation of alcohol and substance abuse issues in Central Texas. Finally, the work and efforts of several coalitions in the area have been vital in addressing issues of marijuana use, underage drinking, and the status of prescription drug abuse in Region 7. A key aspect of the coalition in Central Texas has been the willingness of members to participate with the Prevention Resource Center and to contribute information from their experiences.

Conclusion

Although efforts to make people in region 7 think twice about using marijuana has led to resistance, the PRC continues to address misconceptions about marijuana use through directed media activities. One such activity utilized free billboards in the Austin area to remind the public of the dangers associated with alcohol and substance abuse. Strong and negative public reaction toward the billboards concerning anti-marijuana messages served to inform the PRC where to strategically begin dialogues and work to eliminate misconceptions about marijuana use. Although preventive alcohol and prescription drug messages did not spark activity from the Austin public further, work by members of the PRC with nearby coalitions is being conducted to begin understanding root causes for issues in this densely populated region (especially in the form of an epidemiological workgroup).

Key Findings

The following key findings can be said of Region 7:

- Perceptions of marijuana as harmful have decreased among college students and adolescents.
- Alcohol and Marijuana were the primary substances for which people sought DSHS treatment.
- There were more drug arrests than arrests related to alcohol.
- There are more prescriptions than people (1.3 prescriptions per person).
- Social support association score for region 7 were greater than the state average score.
- The number of homeless kids per school for region 7 is lower than the state average per school.

Moving Forward

Prevention activities in Region 7 that address underage drinking, marijuana use, and prescription drug abuse are still important for stakeholders. Education for youth is needed to change perceptions about the dangers of alcohol and drugs. Similarly, we believe key findings should direct our actions as we continue moving forward in addressing alcohol and drug use in our region.

References

[1] Hingson, R.W.; Zha, W.; and Weitzman, E.R. Magnitude of and trends in alcohol-related mortality and morbidity among U.S. college students ages 18–24, 1998–2005. *Journal of Studies on Alcohol and Drugs* (Suppl. 16):12–20, 2009. PMID:

19538908 http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2701090/

[2] Centers for Disease Control and Prevention. Excessive drinking costs U.S. \$223.5 billion. Available at: http://www.cdc.gov/features/alcoholconsumption/

[3] Lee, J.The costs of drug rehab. Retrieved from http://www.choosehelp.com/topics/drug-rehab/the-costs-of-drug-rehab

[4] SAMHSA. Data spotlight: Over 7 million children live with a parent with alcohol problems. 2012. Available at: http://media.samhsa.gov/data/spotlight/Spot061ChildrenOfAlcoholics2012.pdf

Appendix A

PRC Region	Counties	
1: Panhandle and South Plains	Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, and Yoakum (41)	
2: Northwest Texas	Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackelford, Stonewall, Stephens, Taylor, Throckmorton, Wichita, Wilbarger, and Young (30)	
3: Dallas/Fort Worth Metroplex	Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, and Wise (19)	
4: Upper East Texas	Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, and Wood (23)	
6: Gulf Coast	Austin, Brazoria, Chambers, Colorado, FortBend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, and Wharton (13)	
7: Central Texas	Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, Madison, McLennan, Milam, Mills, Robertson, San Saba, Travis, Washington, and Williamson (30)	

11: Rio Grande	Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg,
Valley/Lower	Live Oak, McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, and Zapata (19)
South Texas	

Note. PRC stands for Prevention Resource Center and the number in parenthesis is the total number of counties in that particular region.

Title	Contact
Statewide Evaluator Albert Yeung	Albert.Yeung@dshs.state.tx.us
Region 1 Regional Evaluator Bob Schafer	Bob.Schafer@mccaod.com
Region 2 Regional Evaluator Rachel Saxton	rachel.saxton@arcadatx.org
Region 3 Regional Evaluator Lauren Roth	Lroth@dallascouncil.org
Region 4 Regional Evaluator Chris Carpenter	Ccarpenter@etcada.com
Region 5 Regional Evaluator Kim Simmons	ksimmons@adacdet.org
Region 6 Regional Evaluator Emily Breeding	ebreeding@council-houston.org
Region 7 Regional Evaluator Tiberio Garza	Jdatzman@bvcasa.org
Region 8 Regional Evaluator Hortencia Carmona	hcarmona@sacada.org
Region 9 Regional Evaluator Carol Whisler	cwhisler@pbrcada.org
Region 10 Regional Evaluator David Sanchez	dsanchez@aliviane.org
Region 11 Regional Evaluator Violeta Davila	vdavila@rgvcouncil.org

Appendix B

	16-19 Yea	ars Old	20-21 Years Old	
County	Male (16-19) Employment%	Female (16-19) Employment%	Male (29-21) Employment%	Female (20-21) Employment%
Bastrop	43.06%	27.88%	89.01%	66.10%
Bell	43.33%	40.39%	83.52%	69.87%
Blanco	58.81%	34.52%	84.35%	30.37%
Bosque	34.60%	40.50%	71.19%	71.74%
Brazos	28.99%	35.73%	51.97%	56.44%
Burleson	55.53%	39.48%	61.69%	82.76%
Burnet	42.47%	44.37%	95.45%	77.45%
Caldwell	35.03%	28.08%	68.37%	38.93%
Coryell	45.37%	35.03%	89.09%	56.53%
Falls	24.29%	42.61%	71.89%	41.84%
Fayette	50.51%	33.28%	76.00%	52.78%
Freestone	35.10%	47.93%	68.79%	89.89%
Grimes	28.33%	38.50%	55.58%	64.93%
Hamilton	54.75%	15.85%	51.69%	100.00%

	16-19 Years Old		20-21 Years Old	
Hays	28.27%	27.09%	59.43%	63.54%
Hill	29.07%	37.93%	72.45%	73.73%
Lampasas	33.22%	34.54%	50.00%	76.12%
Lee	35.56%	37.13%	72.86%	48.82%
Leon	48.77%	33.41%	80.00%	37.50%
Limestone	26.51%	44.15%	42.00%	69.43%
Llano	13.35%	39.89%	100.00%	100.00%
McLennan	28.67%	33.91%	66.35%	52.52%
Madison	55.66%	56.65%	25.57%	73.81%
Milam	25.23%	44.67%	80.90%	42.55%
Mills	30.25%	10.08%	62.50%	40.00%
Robertson	43.26%	48.81%	75.55%	82.25%
San Saba	60.10%	22.67%	86.11%	100.00%
Travis	33.22%	32.29%	64.55%	60.16%
Washington	33.29%	35.42%	55.03%	53.82%
Williamson	36.51%	43.96%	79.77%	76.70%

Glossary of Terms

30 Day Use	The percentage of people who have used a substance in the 30 days before they participated in the survey.
Adolescent	An individual between the ages of 12 and 17 years.
Age-adjustment	Age-adjustment is a statistical process applied to rates of disease, death, injuries or other health outcomes allowing communities with different age structures to be compared
ATOD	Alcohol, tobacco, and other drugs.
Crude Mortality Rate	the mortality rate from all causes of death for a population during a specific time period
DSHS	Department of State Health Services
Epidemiology	Epidemiology is concerned with the distribution and determinants of health and diseases, sickness, injuries, disabilities, and death in populations.
Evaluation	Systematic application of scientific and statistical procedures for measuring program conceptualization, design, implementation, and utility; making comparisons based on these measurements; and the use of the resulting information to optimize program outcomes.
Incidence	A measure of the risk for new substance abuse cases within the region.
PRC	Prevention Resource Center
Prevalence	The proportion of the population within the region found to already have a certain substance abuse problem.

Protective Factor	Conditions or attributes (skills, strengths, resources, supports or coping strategies) in individuals, families, communities or the larger society that help people deal more effectively with stressful events and mitigate or eliminate risk in families and communities.
Risk Factor	Conditions, behaviors, or attributes in individuals, families, communities or the larger society that contribute to or increase the risk in families and communities.
SPF	Strategic Prevention Framework. The idea behind the SPF is to use findings from public health research along with evidence-based prevention programs to build capacity and sustainable prevention. This, in turn, promotes resilience and decreases risk factors in individuals, families, and communities.
Substance Abuse	When alcohol or drug use adversely affects the health of the user or when the use of a substance imposes social and personal costs. Abuse might be used to describe the behavior of a woman who has four glasses of wine one evening and wakes up the next day with a hangover.
Substance Misuse	The use of a substance for a purpose not consistent with legal or medical guidelines. This term often describes the use of a prescription drug in a way that varies from the medical direction, such as taking more than the prescribed amount of a drug or using someone else's prescribed drug for medical or recreational use.
Substance Use	The consumption of low and/or infrequent doses of alcohol and other drugs such that damaging consequences may be rare or minor. Substance use might include an occasional glass of wine or beer with dinner, or the legal use of prescription medication as directed by a doctor to relieve pain or to treat a behavioral health disorder.
SUD	Substance Use Disorder
TPII	Texas Prevention Impact Index
TSS	Texas Student Survey
VOICES	Volunteers Offering Involvement in Communities to Expand Services. Essentially, VOICES is a community coalition dedicated to create positive changes in attitudes, behaviors, and policies to prevent and reduce at-risk behavior in youth. They focus on changes in alcohol, marijuana, and prescription drugs.
YRBS	Youth Risk Behavior Surveillance Survey

¹ Assessment, Prioritization, and Priority Populations. (2016, July 27) Retrieved from Community Health Improvement Resources. Missouri Department of Health and Senior Services. http://health.mo.gov/data/InterventionMICA/AssessmentPrioritization_5.html